



***AUTOBODY REFINISHING PRODUCTS  
FOR THE AUTOMOTIVE AFTERMARKET***



[www.carbo.com](http://www.carbo.com)

the definition of  
**DIFFERENT®**



**CARBORUNDUM**

### ***Our Mission***

We offer powerful, precise, user-friendly solutions for the automotive aftermarket at value pricing. By working closely with end-users and distributing partners, we design and provide customized solutions to secure the best option for performance, cost and safety.

### ***Our Expertise***

Carborundum is a brand of Saint-Gobain Abrasives, and has over 100 years of experience in manufacturing abrasives.

Carborundum abrasive products are your best choice when you want product performance with value pricing. Carborundum is committed to innovation in abrasive technology while adding significant business value to our trusted clients. We continue to strive to deliver the finest abrasives solutions and best-in-class service at the best value, giving your business a distinct advantage.

### ***Our Commitment***

Take Carborundum for a Test Drive!

We are 100% committed to bringing the best performing products to body shops at a fair price.

You can test drive Carborundum products in your shop when it's convenient for you. Simply let your Carborundum salesperson know when you'd like to test Carbo in your shop. Our Test Drive program allows the technicians to do their regular work, without interruption, using Carborundum products at no cost in "real world" conditions. You're the final judge of performance.

At the end of the day, the Carborundum salesperson will review the results, provide you with potential cost savings and convert the shop to Carborundum products if you like what you see.






















There has never been a better time to look at ways to increase productivity and to reduce costs at absolutely no risk to you. If you'd like to take a test drive please email [carbo.automotive@saint-gobain.com](mailto:carbo.automotive@saint-gobain.com)

### ***Our Connection***

Visit our website at [www.carbo.com](http://www.carbo.com) for a more comprehensive outline of products, safety and application information. We continually update it with our most current information.

***Carborundum – The Definition of Different™***



	SANDING MEDALIST	<b>4</b>		SURFACE CONDITIONING	<b>15</b>		ACCESSORIES	<b>25</b>
	SANDING PREMIER RED	<b>5</b>		CUT-OFF WHEELS	<b>16</b>		REVIVE BY RSG	<b>32</b>
	SANDING CARBO GOLD	<b>8</b>		FLAP DISCS	<b>17</b>		FARÉCLA	<b>39</b>
	SANDING CLEANNET	<b>10</b>		FILE BELTS	<b>17</b>		AMERICAN TAPE	<b>43</b>
	SANDING MIRROR FINISH	<b>11</b>		GRINDING DISCS	<b>18</b>		FUSOR	<b>46</b>
	DEFECT REMOVAL	<b>12</b>		MASKING PRODUCTS	<b>21</b>		HUTCHINS	<b>61</b>
	SCUFFING SOLUTIONS	<b>13</b>		ADHESIVES AND COATINGS	<b>24</b>		TIM – TOTAL INVENTORY MANAGEMENT	<b>62</b>





Carbo Medalist is ideal for jobs that require an extremely durable abrasive that cuts fast, plus lasts extra long without generating heat. Engineered ceramic grain is the perfect abrasive to penetrate hard surfaces and achieve both cut and long life.






#### FEATURES & BENEFITS

- Ceramic grain produces a faster cut rate and is more durable lasting longer, especially in tougher sanding applications
- Unique fiber reinforced for maximum tear resistance
- Latex/paper backing is flexible and easy to work with



### Discs –Stick-On, Grip-On and Clean Air Plus

Discs with high-performance ceramic grain is the perfect solution for hard-to-sand and self-healing clears. Ideal for scratch resistant clears, E-coat, composites, and aluminum.



					
	6" Stick-On Disc Roll	3" Grip-On	5" Grip-On	6" Grip-On	6" Clean Air Plus
GRIT	PART #	PART #	PART #	PART #	PART #
P1000B	—	—	—	055395 <b>99423</b>	—
P800B	—	—	055395 <b>99501</b>	055395 <b>99514</b>	055395 <b>50010</b>
P600B	055395 <b>99489</b>	055395 <b>53341*</b>	055395 <b>99502</b>	055395 <b>99515</b>	055395 <b>50009</b>
P500B	—	—	—	055395 <b>99516</b>	055395 <b>50008</b>
P400B	055395 <b>99491</b>	055395 <b>53340</b>	055395 <b>99504</b>	055395 <b>99517</b>	055395 <b>50007</b>
P320B	055395 <b>99492</b>	055395 <b>53339</b>	055395 <b>99505</b>	055395 <b>99518</b>	055395 <b>50006</b>
P240B	—	—	055395 <b>99507</b>	055395 <b>99520</b>	055395 <b>50005</b>
P220B	055395 <b>99495</b>	055395 <b>53338</b>	055395 <b>99508</b>	055395 <b>99521</b>	055395 <b>50004</b>
P180B	055395 <b>99496</b>	055395 <b>53337</b>	055395 <b>99509</b>	055395 <b>99522</b>	055395 <b>50003</b>
P150B	—	—	—	055395 <b>99523</b>	055395 <b>50002</b>
P120C	055395 <b>99498</b>	055395 <b>53335</b>	055395 <b>99511</b>	055395 <b>99524</b>	055395 <b>50001</b>
P100C	—	—	055395 <b>99512</b>	055395 <b>99525</b>	—
P80C	055395 <b>99500</b>	055395 <b>53334</b>	055395 <b>99513</b>	055395 <b>99526</b>	055395 <b>50000</b>
PKG/CASE	100/4	50/4	50/4	50/4	50/4

\* Non-Stock



### Perforated Grip-On Sheet Rolls

Continuous perforated rolls made from high performance, ceramic grain minimize excess waste for board file papers while offering the benefits of a hook and loop system that can be re-used multiple times.

		
	2-3/4" x 13 Yds	2-3/4" x 13 Yds Clean-Air Plus
GRIT	PART #	PART #
P600B	055395 <b>99592</b>	—
P500B	—	—
P400B	055395 <b>99590</b>	055395 <b>53414</b>
P320B	055395 <b>99564</b>	055395 <b>53413</b>
P220B	055395 <b>99565</b>	055395 <b>53412</b>
P180B	055395 <b>99566</b>	055395 <b>53411</b>
P150B	055395 <b>99567</b>	—
P120C	055395 <b>99568</b>	055395 <b>53410</b>
P80C	055395 <b>99570</b>	055395 <b>53409</b>
PKG/CASE	1/4	1/4





Anti-loading, fast cutting and long lasting premium sandpaper for shops that want to decrease costs by increasing productivity.

## FEATURES & BENEFITS

- Premium, P-graded, heat-treated aluminum oxide abrasive for an incredibly fast cut rate and consistent finish
- Red-colored, fiber-reinforced, B-weight, latex-impregnated, paper backing has superior resistance to delamination
- Advanced bond system with excellent grain adhesion extends the life of the abrasive
- "Anti-load" stearate exhibits superior load resistance
- Tear-resistant and can be used for wet sanding applications



## Stick-On Discs and Disc Rolls

Pressure Sensitive Adhesive (PSA) discs stay in place to get the job done quickly. 100 discs per roll.

	5"	6"	8"	6" x 6 hole Vac
GRIT	PART #	PART #	PART #	PART #
P1500B	—	055395 <b>20294</b>	—	—
P1200B	—	055395 <b>20295</b>	—	—
P1000B	—	055395 <b>20296</b>	—	—
P800B	055395 <b>18101</b>	055395 <b>18162</b>	—	—
P600B	055395 <b>18104</b>	055395 <b>18163</b>	—	055395 <b>15297</b>
P500B	055395 <b>63779</b>	055395 <b>63780</b>	—	—
P400B	055395 <b>18105</b>	055395 <b>18164</b>	—	055395 <b>15298</b>
P320B	055395 <b>18106</b>	055395 <b>18165</b>	—	055395 <b>15300</b>
P280B	055395 <b>18107</b>	055395 <b>18166</b>	—	—
P240B	055395 <b>18108</b>	055395 <b>18167</b>	—	—
P220B	055395 <b>18109</b>	055395 <b>18168</b>	—	055395 <b>15311</b>
P180B	055395 <b>18110</b>	055395 <b>18169</b>	055395 <b>61106</b>	055395 <b>15312</b>
P150B	055395 <b>18111</b>	055395 <b>18170</b>	—	—
P120B	055395 <b>18112</b>	055395 <b>18171</b>	055395 <b>61108</b>	055395 <b>15315</b>
P100B	055395 <b>18113</b>	055395 <b>18172</b>	—	—
P80B	055395 <b>18114</b>	055395 <b>18173</b>	055395 <b>61110</b>	055395 <b>15317</b>
PKG/CASE	100/4	100/4	100/4	100/4

\* 6" P1000 – P1500 are individual discs and come boxed: 100 to a box, and 4 boxes per case.





## Grip-On Discs

Hook and loop backing provides extra cushioning and air flow for a cooler cut and extended disc life.

	3"	5"	6"	5" x 5 hole Vac	6" x 6 hole Vac
GRIT	PART #	PART #	PART #	PART #	PART #
P1500B	055395 <b>69927</b>	055395 <b>20252</b>	055395 <b>20270</b>	—	—
P1200B	—	055395 <b>20253</b>	055395 <b>20271</b>	—	—
P1000B	055395 <b>69926</b>	055395 <b>20254</b>	055395 <b>20272</b>	—	055395 <b>20318</b>
P800B	055395 <b>70022</b>	055395 <b>20255</b>	055395 <b>20274</b>	—	055395 <b>20319</b>
P600B	—	055395 <b>20256</b>	055395 <b>20275</b>	055395 <b>20305</b>	055395 <b>20320</b>
P500B	—	055395 <b>63781</b>	055395 <b>63782</b>	—	055395 <b>63784</b>
P400B	055395 <b>99430</b>	055395 <b>20257</b>	055395 <b>20276</b>	055395 <b>20306</b>	055395 <b>20321</b>
P320B	055395 <b>70021</b>	055395 <b>20258</b>	055395 <b>20277</b>	055395 <b>20307</b>	055395 <b>20322</b>
P280B	—	055395 <b>20259</b>	055395 <b>20278</b>	—	—
P240B	—	055395 <b>20260</b>	055395 <b>20282</b>	—	—
P220B	055395 <b>99429</b>	055395 <b>20262</b>	055395 <b>20283</b>	055395 <b>20310</b>	055395 <b>20325</b>
P180B	055395 <b>70020</b>	055395 <b>20263</b>	055395 <b>20284</b>	055395 <b>20311</b>	055395 <b>20326</b>
P150B	055395 <b>99428</b>	055395 <b>20264</b>	055395 <b>20285</b>	055395 <b>20312</b>	055395 <b>20328</b>
P120B	055395 <b>99427</b>	055395 <b>20266</b>	055395 <b>20287</b>	—	055395 <b>20329</b>
P100B	—	055395 <b>20267</b>	055395 <b>20288</b>	055395 <b>20314</b>	—
P80B	055395 <b>70019</b>	055395 <b>20269</b>	055395 <b>20289</b>	055395 <b>20315</b>	055395 <b>20331</b>
PKG/CASE	50/4	100/4	100/4	100/4	100/4

**2-3/4" Stick-On Sheet Rolls**


Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board or file shoe. Excellent for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.

**2-3/4" 45 Yds****2-3/4" x 30 Yds****2-3/4" x 25 Yds**

GRIT	PART #	PART #	PART #
P400B	055395 <b>20332</b>	—	—
P320B	055395 <b>20333</b>	—	—
P240B	055395 <b>20334</b>	—	—
P220B	055395 <b>20335</b>	—	—
P180B	055395 <b>20336</b>	—	—
P150B	055395 <b>20337</b>	—	—
P120B	—	055395 <b>20338</b>	055395 <b>20338</b>
P100B	—	055395 <b>20339</b>	055395 <b>20339</b>
P80B	—	—	055395 <b>20340</b>
<b>PKG/CASE</b>	<b>1/5</b>	<b>1/5</b>	<b>1/5</b>

**Body File Strips**

These body file strips are good for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas. Water-based stearate prevents premature loading. Grip-On Hook and Loop backing provides cooler cut and extended life.

**Grip-On 2-3/4" x 16-1/2"****Stick-On 2-3/4" x 16-1/2"**

GRIT	PART #	PART #
P220B	055395 <b>20470</b>	—
P180B	055395 <b>20471</b>	055395 <b>20459</b>
P150B	055395 <b>20472</b>	—
P120B	055395 <b>20473</b>	055395 <b>20461</b>
P100B	055395 <b>20474</b>	—
P80B	055395 <b>20475</b>	055395 <b>20463</b>
<b>PKG/CASE</b>	<b>50/10</b>	<b>50/10</b>

**9" x 11" Sheet**


Ultimate choice for dry sanding old paint, primer, primer surfacer, and between color coats. Good for shaping and finishing plastic filler and feather-edging repaired areas. Water-based stearate prevents premature loading.

**9" x 11"**

GRIT	PART #
P1000B	055395 <b>20527</b>
P800B	055395 <b>14148</b>
P600B	055395 <b>20528</b>
P500B	055395 <b>63785</b>
P400B	055395 <b>20529</b>
P320B	055395 <b>20530</b>
P280B	055395 <b>20531</b>
P240B	055395 <b>20532</b>
P220B	055395 <b>20533</b>
P180B	055395 <b>20534</b>
P150B	055395 <b>20535</b>
P120B	055395 <b>20536</b>
P100B	055395 <b>20537</b>
P80B	055395 <b>20538+</b>
<b>PKG/CASE</b>	<b>100/5</b> <b>+50/5</b>

# CARBO PREMIER RED COARSE GRITS

Heavy-duty / Tough / Zirconia Alumina grain



Ultimate choice for sanding body filler, sanding bare metal, and stripping paint.



## FEATURES & BENEFITS

- Premium zirconia alumina abrasive is self-sharpening grain for super fast cut and long life
- Full phenolic resin bond system plus latex is tough yet flexible and yields excellent grain adhesion
- Red colored, E-weight latex paper backing resists tearing and shredding for a longer life



## Stick-On Discs



Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat.


	6"	8"
		
GRIT	PART #	PART #
80-E	—	055395 <b>21303</b>
40-E	055395 <b>21301</b>	055395 <b>21304</b>
36-E	055395 <b>21302</b>	055395 <b>21305</b>
PKG/CASE	50/4	25/4



## Grip-On Discs




Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat. The hook and loop backing provides air flow to minimize heat and extend the disc life.

	6"	8"
		
GRIT	PART #	PART #
80-E	055395 <b>21315</b>	055395 <b>21318</b>
40-E	055395 <b>21316</b>	055395 <b>21319</b>
36-E	—	055395 <b>21320</b>
PKG/CASE	25/4	25/4



## Body File Strips

Premier Red body file strips come in Clip-On, Stick-On and Grip-On. The self-sharpening zirconia alumina grain improves cut rate, minimizes loading and reduces heat. The durable E-weight latex reinforced paper backing resists tearing and is ideal for sanding body filler.

			
	<b>Stick-On</b> 2-3/4" x 16-1/2"	<b>Grip-On</b> 2-3/4" x 16-1/2"	<b>Clip-On</b> 2-3/4" x 17-1/2"
GRIT	PART #	PART #	PART #
80-E	055395 <b>21336</b>	055395 <b>21342</b>	055395 <b>21348</b>
40-E	055395 <b>21337</b>	055395 <b>21343</b>	055395 <b>21349</b>
36-E	055395 <b>21338</b>	055395 <b>21344</b>	055395 <b>21350</b>
PKG/CASE	50/5	25/5	50/5





Ideal for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.

**FEATURES & BENEFITS**

- Full resin bond system with improved grain adhesion and longest disc life
- Durable, C-weight backing has high tear resistance
- Special, water-based stearate oversize and open coat giving excellent load resistance
- PSA (pressure sensitive adhesive) backing and hook and loop backing, both allow for easy application and removal

**Stick-On Disc Rolls**

Pressure Sensitive Adhesive (PSA) discs stay in place to get the job done quickly. 100 discs per roll.

	5"	6"
GRIT	PART #	PART #
P800C	—	055395 <b>53581</b>
P600C	—	055395 <b>53580</b>
P400C	055395 <b>10545</b>	055395 <b>10557</b>
P320C	055395 <b>10546</b>	055395 <b>10558</b>
P240C	—	055395 <b>10560</b>
P220C	055395 <b>10549</b>	055395 <b>10561</b>
P180C	055395 <b>10550</b>	055395 <b>10562</b>
P150C	055395 <b>10552</b>	055395 <b>10563</b>
P120C	055395 <b>10553</b>	055395 <b>10565</b>
P100C	055395 <b>10554</b>	055395 <b>10566</b>
P80C	055395 <b>10555</b>	055395 <b>10567</b>
PKG/CASE	100/4	100/4


**Grip-On Discs**

Hook and loop backing provides extra cushioning and air flow for a cooler cut and extended disc life.

	5"	6"
GRIT	PART #	PART #
P800C	—	055395 <b>53581</b>
P600C	—	055395 <b>53580</b>
P400C	—	055395 <b>20125</b>
P320C	—	055395 <b>20126</b>
P220C	—	055395 <b>20129</b>
P180C	—	055395 <b>20130</b>
P150C	—	055395 <b>20131</b>
P120C	—	055395 <b>20132</b>
P80C	—	055395 <b>20134</b>
PKG/CASE	—	100/4

**2-3/4" Stick-On Sheet Rolls**


Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board or file shoe. Excellent for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.

**2-3/4" x 25 Yds****2-3/4" x 20 Yds**

GRIT	PART #	PART #
P400C	055395 <b>70523</b>	—
P320C	055395 <b>70524</b>	—
P220C	055395 <b>70525</b>	—
P180C	055395 <b>70526</b>	—
P150C	055395 <b>70527</b>	—
P120C	055395 <b>53528</b>	—
P80C	—	055395 <b>70528</b>
<b>PKG/CASE</b>	<b>1/5</b>	<b>1/5</b>

**Body File Strips**

These body file strips are good for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas. Water-based stearate prevents premature loading. Grip-On Hook and Loop backing provides cooler cut and extended life.

**Grip-On 2-3/4" x 16-1/2"****Clip-On 2-3/4" x 17-1/2"**

GRIT	PART #	PART #
P150B		
P120B		055395 <b>10900</b>
P100B		055395 <b>10902</b>
P80E	055395 <b>20242</b>	055395 <b>10903</b>
<b>PKG/CASE</b>	<b>50/5</b>	<b>50/10</b>

# CARBO CLEANNET

Aluminum Oxide grain / Powerful dust extraction / Anti-loading

CARBO  
**CLEANNET™**



Net matrix backing contains thousands of tiny holes for powerful dust extraction; virtually eliminates dust created by sanding operations. Allows for a cleaner, healthier working environment. Reduces clean-up time – a welcome benefit for any busy sander!

## FEATURES & BENEFITS

- Carbo Dri-Lube technology is applied to the abrasive grains providing improved load resistance for a consistent cut and extended product life
- Optimizes productivity and value for money
- Offers a better, faster finish with finer scratch pattern
- Grip-on backing with no designated hole pattern for fast and easy disc changover – just apply and go!
- Can be used on many materials, on machine, or by hand on flat or contoured surfaces
- Open structure and premium resin bond system; can be used wet or dry depending on your application



## CleanNet Dri-Lube Grip-On Aluminum Oxide Mesh Discs

With Carbo CleanNet sanding discs you can say goodbye to dust for good and say hello to a cleaner, healthier working environment, improved finish and better overall sanding experience.



### 5" Grip-On

#### PART #

GRIT	PART #
400	055395 <b>53456</b>
320	055395 <b>53455</b>
240	055395 <b>53454</b>
220	055395 <b>53453</b>
180	055395 <b>53452</b>
120	055395 <b>53451</b>
80	055395 <b>53450</b>

**PKG/CASE**

**50/4**



### 6" Grip-On

#### PART #

GRIT	PART #
400	055395 <b>53463</b>
320	055395 <b>53462</b>
240	055395 <b>53461</b>
220	055395 <b>53460</b>
180	055395 <b>53459</b>
120	055395 <b>53458</b>
80	055395 <b>53457</b>

**50/4**







Ultimate choice for wet sanding to remove surface imperfections.

#### FEATURES & BENEFITS


- Premium grain for automotive applications produces a consistent, fast cut
- Flexible backing resists wrinkling, tearing and cracking
- Specially treated waterproof paper backing does not require soaking, is curl resistant and will not deteriorate



### Mirror Finish Waterproof Sheets

The Carbo MirrorFinish design works just as well wet or dry and gives the same cut no matter how you use it. If you prefer the paper to be wet, just spritz and go. Or, if you like to soak your paper MirrorFinish has curl resistance built right in so it stays flat and the product will not deteriorate, no matter how long you leave it in water. Designed specifically for automotive finishes, MirrorFinish is ideal for water and color sanding.

	5-1/2" x 9"	9" x 11"
GRIT	PART #	PART #
2000B	055395 <b>63869</b>	055395 <b>63877</b>
1500B	055395 <b>63870</b>	055395 <b>63878</b>
1200B	055395 <b>63871</b>	055395 <b>63879</b>
1000B	055395 <b>63872</b>	055395 <b>63880</b>
P800B	—	055395 <b>63881</b>
P600B	—	055395 <b>63882</b>
P400B	—	055395 <b>63884</b>
P320B	—	055395 <b>63885</b>
<b>PKG/CASE</b>	<b>50/5</b>	<b>50/5</b>



# DEFECT REMOVAL

Premium aluminum oxide grain / Smooth film backing

CARBO™  
**MIRROR**  
finish™

CARBO™  
**MEDALIST**®



A perfect combination of science technology and industry knowledge brings this new design to the market. A strong, thin film backing with premium aluminum oxide abrasive and a patented resin technology sands flat, resists loading, lasts long and cuts consistently for a finish that's faster to buff out.

## FEATURES & BENEFITS

- Patented resin technology for excellent grain adhesion generates a consistent cut and resists loading to extend disc life and eliminate pigtails
- Ultra-thin film backing for maximum flexibility creates an even surface and can conform to irregular surfaces resulting in a very consistent finish that is easier to buff out
- R&D integral design of film backing and unique resin system for discs that stay flat for a superior surface finish
- Consistent, water-based stearate application for the ultimate anti-loading properties

*tech***tip**

Interface pad not required with foam discs



## Mirror Finish Film Finishing Discs



3"



6"

GRIT	PART #	PART #	3" Interface Pad	6" Interface Pad
P1500	—	05539500608	—	—
P1200	—	05539500607	—	—
P1000	05539500594	05539500606	—	—
1/2" Thick Foam Pad	—	—	63642505457	05539542089
PKG/CASE	50/4	50/4	10/1	5/1



## Medalist Foam Finishing Disc

Medalist Foam Finishing Discs, used damp, will produce a semi-polished surface that greatly reduces buffing time.

## FEATURES & BENEFITS

- Integrated foam backing is conformable to contours eliminating pigtails and costly re-work
- Open mesh design allows for equal pressure distribution for quicker sanding and an uniform scratch pattern
- Produces a semi-polished finish with quick and easy to buff out



6"

GRIT	COLOR	PART #
3000	Green	05539553381
2000	Magenta	05539553382
1500	Blue	05539553383
PKG/CASE		15/4



Consistent cut and uniform scratch pattern

## FEATURES & BENEFITS

- Non-woven nylon impregnated with abrasive grain easily conforms to irregular surfaces and resists tearing and can be used wet or dry
- Advanced coating process for a consistent coverage of grain throughout pad
- Perforated for easy pad re-sizing

### Maroon (320/400)

- Quick and aggressive cut
- Tear-resistant

### Gray (800/1000)

- Quick cut, uniform finish
- Incredibly flexible yet tear-resistant

### Gold (1000/1200)

- Ideal for pearls and metallics

### White (non-abrasive)

- Use for surface cleaning and detailing
- Ideal for all materials and surfaces



## Fibratex Hand Pads

Fibratex pads offer a consistently graded grain in an advanced resin system which provides a super fast cut without wild scratches. Choose a maroon pad for primer prep, a gray pad for color prep, a gold pad for pearls and metallics, or a white pad for surface cleaning.

DESCRIPTION	COLOR	6" x 9" Pad	
		PART #	PART #
Primer Prep	Maroon	055395 <b>10890</b>	—
Color Prep	Gray	055395 <b>10891</b>	—
Clear Blend Prep	Gold	—	055395 <b>30893</b>
Non Abrasive	White	055395 <b>10892</b>	—
<b>PKG/CASE</b>		<b>20/3</b>	<b>10/3</b>

## Thin-Flex Scuff Pads and Discs

An incredibly flexible, yet strong product that is perfect for use on contoured surfaces and for getting into tight spaces. Roll is perforated every 3".

DESCRIPTION	COLOR	4-1/2" x 9" Thin-Flex Pad		6" Thin-Flex Disc	6" Back-up Pad
		PART #	PART #	PART #	PART #
Primer Prep	Maroon	055395 <b>99425</b>	—	055395 <b>53389</b>	—
Color Prep	Gray	055395 <b>99426</b>	—	055395 <b>53390</b>	—
Clear Blend Prep	Gold	662611 <b>21524*</b>	—	—	—
Back-up Pad	—	—	—	—	055395 <b>99323</b>
<b>PKG/CASE</b>		<b>25/4</b> <b>*10/10</b>	<b>25/4</b>		<b>1/5</b>

## Scuff Discs

For use on a D/A with a hook and loop back-up pad for faster scuffing.

DESCRIPTION	COLOR	6"	6" Back-up Pad
		PART #	PART #
Primer Prep	Maroon	055395 <b>20484</b>	—
Color Prep	Gray	055395 <b>20485</b>	—
Back-up Pad	—	—	055395 <b>99323</b>
<b>PKG/CASE</b>		<b>40/1</b>	<b>1/5</b>





## Foam-Rolls

Carbo Premier Red Soft-Roll Foam pre-cut sheets, conveniently packaged in a roll form 4-1/2" x 82", are ideal for fine sanding on round edges, contours and curves, providing an outstanding finish on primers and top coats. Perfect for waterborne paints. Perforated every 5-1/2".



4-1/2" x 82"

GRIT	PART #
P320	055395 <b>99438</b>
P400	055395 <b>99439</b>
P500	055395 <b>99440</b>
P600	055395 <b>99441</b>
P800	055395 <b>99442</b>
P1000	055395 <b>99443</b>
<b>PKG/CASE</b>	<b>1/2</b>

Grit	Application
P320, P400	Feather-edge, scuff primer, scuff new parts before painting
P500, P600	Prepare panel for base coat
P800, P1000	Sand clear coat, remove minor defects



The finishing action of sponges generates a finer finish than conventional coated abrasive products. The coarser grit is the finish achieved when sanding dry and the finer grit is finish achieved when sanding wet.

## FEATURES & BENEFITS

- Abrasive grain coated on a sponge backing that can be used wet or dry and eliminates finger marks generating a uniform finish
- Grit printed on the back of each sponge to easily identify the right product to use
- Highly conformable which is ideal for bumpers, jambs and small parts and great on contours and edges

Grit Designation	Finish Generated	Application
Medium	P180/P120	Scuff, shaping filler
Fine	P400/P320	Feather-edge, scuffing primer, scuffing new parts before painting
Super Fine	P600/P500	Preparing panel for base coat
Ultra Fine	P1000/P800	Sanding base coat, removing clear coat defects
Micro Fine	P1500/P1200	Clear coat sanding, removing minor defects



## EZTouch Sponges



4-1/2" x 5-1/2" x 3/16"

DESCRIPTION	PART #
Medium	055395 <b>70121</b>
Fine	055395 <b>70122</b>
Super Fine	055395 <b>70123</b>
Ultra Fine	055395 <b>70124</b>
Micro Fine	055395 <b>70125</b>
<b>PKG/CASE</b>	<b>20/4</b>

# CARBO FIRE SURFACE CONDITIONING

Extra-coarse ceramic grain / Aggressive cut



Surface Strip discs offer extraordinary stripping power. Ideal for hard-to-reach areas.

## FEATURES & BENEFITS

- Open web construction resists loading
- Synthetic web impregnated with ceramic abrasive produces a very fast, aggressive cut and will not rust
- Thick and durable extending the product life
- Great alternative to wire brushes and effective on sharp, jagged surfaces

## Carbo Fire Surface Strip TR+ Disc

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Rugged design provides long life and continuous cutting action.



DESCRIPTION	4" TR+	Back-Up Pad	
	PART #	PART #	RPM
Carbo Fire	666233 <b>29282</b>	—	8,000
Back-Up Pad	—	055395 <b>22538</b>	—
<b>CASE</b>	<b>5</b>	<b>1</b>	

## Carbo Fire Surface Strip Disc with Mandrel

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Mandrel assembly will adapt the disc for use on portable tools. The assembly consists of a mandrel, nut, and two washers.



DESCRIPTION	4" x 1/4" Hole	Mandrel	
	PART #	PART #	RPM
Carbo Fire	776960 <b>39321</b>	—	6,000
Mandrel with 3-1/16" x 1/4" shank	—	055395 <b>51776</b>	—
<b>PKG/CASE</b>	<b>5/5</b>	<b>1/1</b>	

## Carbo Fire Flex-Loc TR Surface Strip Disc

Great for removing rust, undercoating, seam-sealers and stone guards. Use in truck beds, door jambs, and hard-to-reach areas like wheel wells and undercarriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.



DESCRIPTION	3" TR		
	PART #	PART #	RPM
Carbo Fire	666233 <b>29280</b>	—	12,000
Back-up Pad	—	662610 <b>55105</b>	20,000
<b>PKG/CASE</b>	<b>10/1</b>	<b>1/10</b>	

# CUTTING WHEELS

Fiberglass reinforced

CARBO  
**FIRE**

CARBO™  
**PREMIER**  
RED



Ultimate choice for cutting out imperfections in autobody panels.

## FEATURES & BENEFITS

- Blend of high performance ceramic alumina and zirconia alumina abrasive for super fast and cool cutting action producing 3 times the life of conventional abrasive wheels
- High performance resin bond for a long wheel life
- Fiberglass reinforcement maintains structural integrity

### 1/32" Cut-off Wheel

- Thinnest, fastest cutting blade
- Much cooler cut
- Allows for a tighter fit
- Excellent for quarter panel

### 1/16" Cut-off Wheel

- Great for demanding applications
- Cuts bolts, rods and frame rails
- Exceptional, extended work life

*tech***tip**

Safety Tip: Always wear protective safety equipment and never exceed the RPM shown on the wheel. Never use a cut-off wheel on a tool without a guard.



## Carbo Fire Cut-off Wheels

Carbo Fire cut-off wheels are composed of 100% of the most advanced ceramic alumina abrasive grain with a special shape for comfort and performance. Guaranteed 7X the life of aluminum oxide wheels and 3X the life of zirconia alumina wheels. The speed of cut is amongst the highest compared to other competitive product in the market.

SIZE	PART #	RPM
3" x 1/32" x 3/8"	662528 <b>38447</b>	25,465
3" x 1/16" x 3/8"	662528 <b>38448</b>	25,465
<b>PKG/CASE</b>	<b>5/10</b>	



## Premier Red Cut-off Wheels

Premier Red is the ultimate choice for cool, easy, free-cutting of sheet metal, or heavy-duty cutting of muffler clamps, bolts, and steel rods up to 3/4" thick, as well as spot weld grinding.

The 1/32" and 1/16" Premier Red wheels come in durable plastic clam shell package. Hang them on the wall and just grab one when you need it.

SIZE	PART #	RPM
3" x 1/32" x 3/8"	055395 <b>03861</b>	25,465
3" x 1/16" x 3/8"	055395 <b>03863</b>	25,465
3" x 3/16" x 3/8"	055395 <b>04270</b>	25,465
<b>PKG/CASE</b>	<b>5/10</b>	





# FLAP DISCS

Eliminate conventional 2 step process



Carbo Premier Red Mini Flap Discs eliminate the conventional 2-step process in grinding, removal, and blending. The abrasive technology used in the Carbo mini-flap discs, combined with the layered flap design, wear away evenly producing a high quality and consistent finish.

## FEATURES & BENEFITS

- High performance zirconia alumina abrasive provides maximum cut rate and life
- High strength plastic back design is lightweight and absorbs vibration allowing for greater control and technician comfort improving productivity
- 2" and 3" diameter discs get into hard to reach areas and allow for easy storage while maintaining required cut and life
- Can be used on high speed die grinders responding to the demand for smaller, ergonomically-friendly tools that require less effort, while delivering better results



## TR Mini Flap Discs

	2"	3"
GRIT	PART #	PART #
120	776960 <b>90128</b>	—
80	776960 <b>90126</b>	776960 <b>90136</b>
60	776960 <b>90124</b>	776960 <b>90134</b>
40	—	776960 <b>90132</b>
36	776960 <b>90120</b>	776960 <b>90130</b>
PKG/CASE	10/1	10/1

# FILE BELTS

Premium abrasive grain



## Portable File Belts


Portable file belts are designed to be used for spot weld and hem flange removal as well as grinding in other tight areas. The 40 and 60 grit belts are ideal for spot weld removal on steel followed by the 80 grit belts for weld dressing and refinement.

	1/2" x 18" Medalist	3/8" x 13" Aluminum Oxide
GRIT	PART #	PART #
80	055395 <b>54669</b>	055395 <b>54648</b>
60	055395 <b>54668</b>	055395 <b>54647</b>
40	055395 <b>54666</b>	—
PKG/CASE	10/1	10/1



## Non-Woven Portable File Belts

		1/2" x 18" Non-Woven
GRIT	COLOR	PART #
Coarse	Brown	055395 <b>54479</b>
Medium	Maroon	055395 <b>54480</b>
Very Fine	Blue	055395 <b>54481</b>
PKG/CASE		12/1



# 2" AND 3" GRINDING DISCS

Premium performance / Easy twist-on / twist-off system



Ideal for fast stock removal in a small area.



## FEATURES & BENEFITS

- Premium ceramic and zirconia alumina grain is self-sharpening for consistent, aggressive cut and long life
- Grinding aid coating produces burn-free grinding of heat-sensitive materials for longer life and minimal loading
- Heavy-duty backing extends life and reduces edge wear



## Carbo Fire Flex-Loc TR Discs



Ceramic self-sharpening abrasive is ideal for high-pressure, heavy metal removal applications.

	 <b>2" TR</b>	 <b>3" TR</b>
GRIT	PART #	PART #
80	055395 <b>99383</b>	055395 <b>99387</b>
50	055395 <b>99385</b>	055395 <b>99389</b>
36	055395 <b>99386</b>	055395 <b>99390</b>
PKG/CASE	25/1	25/1



## Zirconia Flex-Loc TR Discs

Zirconia alumina self-sharpening abrasive cuts fast and cool to minimize heat build-up.

	 <b>2" TR</b>	 <b>3" TR</b>
GRIT	PART #	PART #
50	055395 <b>09760</b>	055395 <b>69473</b>
36	055395 <b>09767</b>	055395 <b>69472</b>
24	055395 <b>09768</b>	055395 <b>69471</b>
PKG/CASE	25/1	25/1



## 2" AND 3" GRINDING DISCS


Durable backing and tough abrasives; great combination to tackle welds and rust removal

CARBO™  
**FIBRATEx**



### Fibratex Flex-Loc TR Surface Blending Discs


Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive. Advanced resin system will not smear.

GRIT	COLOR		
		2" TR	3" TR
		PART #	PART #
Very Fine – 320	Blue	055395 <b>12506</b>	055395 <b>12509</b>
Medium – 120	Maroon	055395 <b>12507</b>	055395 <b>12510</b>
Coarse – 80	Brown	055395 <b>12508</b>	055395 <b>12512</b>
PKG/CASE		50/1	25/1



### Carbo Fire Flex-Loc TR Surface Blend Discs


Ideal for removing surface rust, blending out grind marks, and removing coatings from automotive surfaces and will not smear. Carbo Fire Surface Blend can also be used to remove seam sealer and undercoating without loading. The discs are thin enough to get into tight spots but durable enough to last. Carbo Fire ceramic grain ensures a fast cut with long life. Surface Blend TR can be used on the face, side, and back.

DESCRIPTION		
	2" TR	3" TR
	PART #	PART #
Carbo Fire	055395 <b>53332</b>	055395 <b>53333</b>
PKG/CASE		10/1



### Flex-Loc TR Back-Up Pads


Flex-Loc TR are compatible with similar competitive attachment systems.

DESCRIPTION		
	2" Back-up Pad	3" Back-up Pad
	PART #	PART #
Flex-Loc TR	662610 <b>55103</b>	662610 <b>55105</b>
PKG/CASE		1/10



### Carbo-Cut Grinding Discs


Zirconia grain is resin bonded to a unique backing which resists cracking and breaking and can be cut down up to the 1" core. Use the cores to grind "pinch" welds and other hard to reach areas. The 1/4" quick change mandrel is for use on automotive drills.

GRIT		
	3" Disc	Mandrel
	PART #	PART #
50	055395 <b>63891</b>	—
36	055395 <b>63890</b>	—
24	055395 <b>63889</b>	—
1/4" Mandrel	—	055395 <b>63893</b>
PKG/CASE		20/4



# 5" – 7" GRINDING DISCS

Premium performance / Rugged backing for extended life



For grinding applications requiring aggressive cutting action, such as grinding welds, rust, and bare metal, and stripping paint.



## FEATURES & BENEFITS

- Premium ceramic and zirconia alumina grain is self-sharpening for consistent, aggressive cut and long life
- Grinding aid coating for minimal loading and reduced heat
- Heavy fiber backing provides strength and tear resistance for a longer life



## Zirconia Alumina Grinding Discs

Zirconia alumina grain provides a quick initial cut and a self-sharpening action to continuously expose sharp, new cutting points. Ideal for lighter grinding or applications requiring a cool cut to minimize heat build up.

		
	5"	7"
GRIT	PART #	PART #
80	055395 <b>20055</b>	055395 <b>20076</b>
50	055395 <b>10711</b>	055395 <b>10720</b>
36	055395 <b>10712</b>	055395 <b>10721</b>
24	055395 <b>10713</b>	055395 <b>10722</b>
PKG/CASE	25/1	25/1

# MASKING PRODUCTS – PLASTIC

Paintable / Corona-treated so paint will not flake off

CARBO™  
**EZ SHEET™**



One person can easily cover a vehicle by using the self-dispensing box and the specially folded plastic for quick application.

## FEATURES & BENEFITS

- Tri-layer paintable sheeting is easy to handle – fast application and clings, even after repositioning
- Corona-treated so paint won't flake off
- Plastic is resistant to solvents resulting in no bleed-through



## EZ Sheet Paintable Plastic

Paint will adhere to the outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected. EZ Sheet can be cut and painted along the critical edge.

	12' x 400'	16' x 350'	20' x 350'
DESCRIPTION	PART #	PART #	PART #
EZ Sheet	055395 <b>63770</b>	055395 <b>63769</b>	055395 <b>63895</b>
PKG/CASE	1/1	1/1	1/1



## Overspray Sheeting

Paintable overspray sheeting is a medium-density, corona-treated plastic.

	12' x 400'	16' x 400'
DESCRIPTION	PART #	PART #
Overspray Sheeting	055395 <b>70530</b>	055395 <b>06728</b>
PKG/CASE	1/1	1/1



## Anchor® Brand Hand Mask

IPG's Anchor® Brand hand mask is a pre-folded, high density polyethylene masking film designed for multiple transportation applications. The thick and durable 12 micron film is corona treated to resist overspray flaking during paint applications. This special film is designed with a reinforced top edge formulated to prevent the underlying film from sticking. Solvent resistant; no bleed-through and clings to surface. Designed to work with multiple hand dispensers and the 1" core fits most masking machines.

Width / Roll Height	90' Roll	180' Roll
DESCRIPTION	PART #	PART #
24" x 180' Hand Mask Roll	—	087143 <b>00214</b>
48" x 180' Hand Mask Roll	—	087143 <b>00216</b>
72" x 90' Hand Mask Roll	087143 <b>00217</b>	—
99" x 90' Hand Mask Roll	087143 <b>00218</b>	—
CASE	12	12



## ***EZ Wrap Protective Plastic – Wheel Maskers***

Tri-layer plastic. Paintable – NO Flaking. Fully covers both sides of the wheel. Covers wheels up to 17".

DESCRIPTION	PART #
Wheel Maskers (50/roll) Paintable	055395 <b>68511</b>
<b>CASE</b>	<b>1</b>



## ***EZ Wrap Protective Plastic – Self-Adhesive Weather Barrier***

Clear film with built in UV inhibitors for interior protection. Don't leave on more than 30 days. Do not expose above 170° F. Do not install on wet or damp surfaces.

DESCRIPTION	PART #
Weather Barrier 36" x 100' (9 lbs.) 3 mil thick	055395 <b>68509</b>
<b>CASE</b>	<b>1</b>



## ***EZ Wrap Protective Plastic – Bucket Seat Covers***

Full coverage from headrest to floor. Will not slip or bunch up. Protects seats from grease, dust and chemicals. Perforated roll.

DESCRIPTION	PART #
Bucket Seat Covers (125/roll) Non-Slip	055395 <b>68510</b>
<b>CASE</b>	<b>1</b>



## ***EZ Wrap Protective Plastic – Floor Mats***

Will not slip or tear. Protects floor from dirt, grease and chemicals. Perforated roll. Generous size: 16-1/2" x 21"

DESCRIPTION	PART #
Floor Mats (125/roll) Non-Slip	055395 <b>68512</b>
<b>CASE</b>	<b>1</b>



# MASKING PRODUCTS – PAPER

A complete masking system for full protection of a vehicle inside the shop and outside



## White “Paint Check” Masking Paper

Premium white masking paper is corona-treated so paint won't flake off, polycoated to protect against bleed-through, and has a built-in “Paint Check” for convenience. Masking tape can be repositioned without tearing the paper. White paper will not distort lighting during the painting process. This paper is stronger than standard blue paper, but is thinner to better conform to tight curves without tearing.

	6"	12"	18"	24"	36"
DESCRIPTION	PART #	PART #	PART #	PART #	PART #
750' Roll	055395 <b>70582</b>	055395 <b>70583</b>	055395 <b>70584</b>	055395 <b>99424</b>	055395 <b>70585</b>
CASE	6	3	2	1	1

Each 750' boxed case is a 36" log. Dimensions are approximate.





Used in conjunction with our recommended repair processes, structures can be rebuilt, repaired or bonded to recreate the original finish.

## FEATURES

- Premium Automotive Attachment Tape
- Black Powder Guide Coat



## Premium Automotive Attachment Tape

High-density gray foam tape coated with high strength acrylic adhesive on both sides and a red polyethylene release liner is designed for bonding medium to large moldings and accessories. High strength acrylic adhesive provides superior adhesion to plastics, metal, glass, and painted vehicle surfaces.

- Used for attaching body side moldings, cladding, door edges, emblems, interior trim, rocker panel moldings, and pillar covers
- Remains flexible at low temperatures

	1/4"	1/2"	7/8"
DESCRIPTION	PART #	PART #	PART #
20 Yard Roll	055395 <b>67381</b>	055395 <b>67378</b>	055395 <b>67379</b>
PKG/CASE	1/12	1/12	1/12



## Black Powder Guide Coat

Ideal for identifying imperfections in primer and body filler that need to be sanded out to ensure a flat finish. Simply apply the applicator with the Black Powder Guide Coat over the area to be sanded, and continue sanding until the powder is no longer visible on the surface. This product does not have a dry time and can be sanded immediately, and it can be sanded using either wet or dry sanding methods.

DESCRIPTION	SIZE	PART #
Black Powder Guide Coat	100 grams	055395 <b>53346</b>
PKG/CASE		1/6



## ACCESSORIES

High quality construction / Shop efficiency



Designed to enhance autobody applications.

### FEATURES & BENEFITS

- High-quality, durable components for long life
- Cost effective
- Ergonomic design minimize fatigue



### Carborundum Autobody Utility Cabinet

Rugged, heavy gauge steel with two adjustable shelves and a security latch for locking doors. Store abrasives, tapes, and chemicals, while keeping them clean, dry, and secure. Weight: 55 pounds.

DESCRIPTION	SIZE	PART #
Automotive Utility Cabinet	31-1/2" w x 26" h x 12-1/2" deep	055395 <b>33867</b>
<b>CASE</b>		<b>1</b>



### Automotive Sheet Roll Dispenser

These bright red dispensers feature heavy duty construction and a rubberized finish, designed to protect your product as well as the finish of your workpiece. It is versatile for 2-3/4" sheet roll. It can be attached to a wall, mounted on a Carborundum Utility Cabinet, Cart or stacked upon other Carborundum dispensers.

DESCRIPTION	PART #
Sheet Roll Dispenser	055395 <b>20523</b>
<b>CASE</b>	<b>1</b>





## Ergonomic Sanding Blocks

### Stick-On – Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. The embossed rubber face allows for good adhesion of PSA sheet rolls.

### Stick-On – Firm



Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. The embossed rubber face allows for good adhesion of PSA sheet rolls.

### Grip-On – Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. Works with standard hook and loop sheets.

### Grip-On – Firm


Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. Works with standard hook and loop sheets.

	2-3/4" x 5"	2-3/4" x 7-3/4"	 2-3/4" x 5"	 2-3/4" x 7-3/4"
DESCRIPTION	PART #	PART #	PART #	PART #
Soft – PSA	055395 <b>70401</b>	—	—	—
Firm – PSA	055395 <b>70402</b>	055395 <b>70405</b>	—	—
Soft – Grip-On	—	—	055395 <b>70403</b>	—
Firm – Grip-On	—	—	055395 <b>70404</b>	055395 <b>70406</b>
PKG/CASE	1/5	1/5	1/5	1/5



## Ergonomic Hand Sanding Block for 6" Discs

The unique design quickly converts a 6" diameter PSA or hook and loop disc into a hand sander. The ergonomic design of the pad fits the user's fingers for added comfort and reduced fatigue.

DESCRIPTION	PART #	 PART #
For 6" Stick-On Discs	055395 <b>63898</b>	—
For 6" Grip-On Discs	—	055395 <b>63897</b>
PKG/CASE	1/5	1/5



## Dual Density Wet Sanding Block

Because of the "grabbing" power of these blocks, no adhesive is required, simply wrap the paper around the block. The dense side is for more aggressive blocking, while the soft side is for color sanding. These blocks come in a "point of purchase" display pack.

DESCRIPTION	PART #
Dual Density Wet Sanding Block	055395 <b>63899</b>
PKG/CASE	1/12



## EZ Block

A rugged, semi-rigid, multi-purpose sanding block engineered for flat to medium curved surfaces. A tactical hole pattern side provides numerous cutting edges to create a 30% faster cut rate. The plain side provides firmness and a comfortable, easy-to-hold surface. These blocks come in a "point of purchase" display pack.

DESCRIPTION	PART #
EZ Block	055395 <b>63900</b>
PKG/CASE	1/8



## Stick-On Sanding Board

The Stick-On Sanding Board has a cushioned surface. There are slots at each end to securely hold 2-3/4" x 17-1/2" abrasive strips or may be used with 2-3/4" x 16-1/2" PSA strips.

DESCRIPTION	PART #
Stick-On Body File Sanding Board	055395 <b>12013</b>
<b>PKG/CASE</b>	<b>6/6</b>



## Grip-On Sanding Board

The Grip-On Sanding Board has a lightweight, rugged design. This sanding board is designed to be used with 2-3/4" x 16-1/2" hook and loop strips.

DESCRIPTION	PART #
Grip-On Body File Sanding Board	055395 <b>12014</b>
<b>PKG/CASE</b>	<b>1/5</b>







# ACCESSORIES

A consistent surface for increased productivity when sanding



## Define the Job, Then Pick the Pad

Two back-up pad profiles and two densities give you all the options you need for any sanding job. Durable polyurethane foam on a fiberglass backing plate provides a consistent surface for a consistent finish. All pads are individually spin-balanced for better control and performance on all tools. Each pad is protected by a sturdy, clam shell package ready for pegboard display. A cap protects the threaded spindle and two washers are included for proper fit and spacing on any D/A tool.

JOB TYPE: PAD TYPE:  GRIT RANGE: MAX. RPM:	 <b>COARSE TO MEDIUM GRIT SANDING</b> Tapered Edge, Medium Density (Flexible edge, easy to reach small contours) 320 and Coarser 15,000 RPM		 <b>COARSE TO MEDIUM GRIT SANDING</b> Low Profile, Medium Density (Hard edge) 320 and Coarser 15,000 RPM		 <b>MEDIUM TO FINE GRIT SANDING</b> Low Profile, Soft Density (Soft, thicker foam for contours) 320 and Finer 12,000 RPM	
	PSA	 Grip-On	PSA	 Grip-On	PSA	 Grip-On
	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION	PART #
	5" Plain Face	055395 <b>99317</b>	5" Plain Face	055395 <b>99321</b>	5" Plain Face	055395 <b>99319</b>
	6" Plain Face	055395 <b>99319</b>	6" Plain Face	055395 <b>99323</b>	6" Plain Face	055395 <b>99311</b>
	PKG/CASE	1/5	PKG/CASE	1/5	PKG/CASE	1/5

Pads have a riveted 5/16"-24 threaded spindle and are made with polyurethane foam with a fiberglass back plate.

WE'VE GOT YOUR BACK-UP  
**RIGHT HERE!**





# ACCESSORIES

Choose the right tool for the job to increase productivity and minimize re-work



## 8" Back-Up Pads

Pad has 5/8"-11 threaded shank.

DESCRIPTION	RPM	PART #
8" VAC/Non-VAC Grip-On 5 Screw	1,500	636425 <b>43712</b>
<b>PKG/CASE</b>		<b>1/1</b>



## Foam Interface Pads

Constructed of soft, durable foam for use with Grip-On back-up pads. The interface pad allows the technician to get in closer to most edges and to better follow contours.

DESCRIPTION	THICKNESS	PART #	PART #	PART #
3" Thin Interface Pad	1/2"	636425 <b>05457</b>	—	—
6" Thin Interface Pad	1/2"	—	636425 <b>42089</b>	—
5" Foam Interface Pad	3/4"	—	—	055395 <b>20521</b>
6" Foam Interface Pad	3/4"	—	—	055395 <b>20520</b>
<b>PKG/CASE</b>		<b>10/1</b>	<b>5/1</b>	<b>2/10</b>



## Disc Hand Pads

The 3/8" thick pad is composed of neoprene and foam, for excellent conformability. Each pad has an elastic hand strap to hold it firmly in place when used with a 6" Grip-On disc for scuff sanding flat or contoured surfaces.

The half moon pad uses a 6" Grip-On disc which adheres to the hooks on the pad face. The straight edge of the pad allows the technician to sand contours and narrow crevices.

DESCRIPTION	PART #
6" x 3/8" Thick Soft Foam Grip-On with strap	636425 <b>00906</b>
6" Half Moon Grip-On	636425 <b>00904</b>
<b>PKG/CASE</b>	<b>10</b>



## Carbo CleanAir Back-Up Pads

Innovative design optimized for maximum air flow and powerful dust extraction. The medium pads are engineered with a durable urethane foam, heat-resistant plastic, a molded-in 5/16"-24 spindle, and hooked face.

DENSITY	RPM	PART #	PART #
Medium	15,000	636425 <b>06160</b>	—
Soft	7,700	—	055395 <b>99338</b>
<b>PKG/CASE</b>		<b>1/5</b>	<b>1/1</b>



Refinish Solutions Group



## Your Productivity Partner

A select group of industry leaders has come together to leverage their core expertise into one powerful network to assist you in improving your refinishing process and increasing your profitability.



To learn how the collective expertise of our industry leaders can boost your shop's bottom line, visit [www.refinishsolutionsgroup.com](http://www.refinishsolutionsgroup.com) or call 1-800-456-8444 for more information.

# POWER IN PARTNERSHIP

The Refinish Solutions Group (RSG) is an initiative driven by Saint-Gobain to deliver cutting-edge process solutions and best practices training programs that allow shops and technicians to stay up-to-date with the latest repair and refinishing technologies and advancements.

The Refinish Solutions Group seeks out partners that offer high quality products and expertise with top-level customer service in efforts to bring the best of the best for the convenience of one-stop shopping.

## CORE COMPETENCIES

The Refinish Solutions Group manufacturers bring focused expertise and know-how to deliver a single, comprehensive refinishing solutions system to increase productivity, reduce cycle time, and improve quality. Each of the the RSG brands have specialized knowledge, skill and technique in the below core competencies:



METAL PANEL  
BONDING



PLASTIC/COMPOSITE  
STRUCTURAL AND  
COSMETIC REPAIR



BODY PANEL  
SURFACE REPAIR



PAINT  
PREPARATION



CONTAMINANT-FREE  
REFINISHING



PAINT HANDLING  
AND ATOMIZATION



PAINT DEFECT  
REMOVAL



CLEAN AND  
DETAIL

## WHAT DOES RSG MEAN TO YOU, THE DISTRIBUTOR?


You get one knowledgeable and resourceful expert in all the brands/products that fall under the RSG umbrella. This loyal champion can offer the distributor in-depth product and industry expertise to configure solutions that fulfill your need as a customer without having to consult with multiple representatives from all the different brands. Your trusted advisor can also offer comprehensive product training on all products and brands under RSG with a no-risk test policy!





## ACCESSORIES – HAND BLOCKS / ERASER WHEEL

REVvive by RSG



REVvive by RSG is a line of non-abrasive products designed to complement the brands featured under the Refinish Solutions Group umbrella.

### REVvive by RSG

REVvive by RSG Accessories compliment the use of vacuum assisted tools. This line consists of vacuum hand blocks with matching interface pads, and the REVvive by RSG Eraser Wheel.



### REVvive by RSG Vacuum Hand Blocks

Designed for use with vacuum abrasive sheet rolls. The flexible dust free hand blocks easily conform to edges and curves.

DESCRIPTION	PART #	CASE
125 x 70mm Vacuum Block	666233 <b>91381</b>	1
200 x 70mm Vacuum Block	666233 <b>91382</b>	1
400 x 70mm Vacuum Block	666233 <b>91383</b>	1



### REVvive by RSG Vacuum Hand Block Interface Pads

Matches hole design on the REVvive by RSG Vacuum Block. Use of an interface pad improves both surface finish and cut rate.

DESCRIPTION	PART #	CASE
125 x 70mm Vacuum Block Interface Pad	666233 <b>91384</b>	10
200 x 70mm Vacuum Block Interface Pad	666233 <b>91385</b>	10
400 x 70mm Vacuum Block Interface Pad	666233 <b>91386</b>	10



### REVvive by RSG Eraser Wheel

Fast removal of pinstripes, adhesive, and decals without damage to the underlying surface. Wider than solid wheels for faster removal and greater control. Tractor wheel design resists heat buildup and reduces jumping and vibration. Use with any standard household or air powered drill up to 4000 RPM.

DESCRIPTION	PART #	CASE
Premium Eraser Wheel 4" x 1" x 5/16"-24	666233 <b>91380</b>	1



REVvive by RSG is a line of non-abrasives products designed to complement the brands featured under the Refinish Solutions Group umbrella.

## REVvive by RSG Aerosols

REVvive by RSG Aerosols bring performance and quality together for the ideal spot repair solution.

### Coatings

REVvive by RSG Coatings are ideal for restoring the original appearance in a cleaner, durable, corrosion-free solution that can be used on almost any surface.



### E-Coat

- Super-durable coating provides outstanding corrosion protection
- Used as DTM primer or as a single coating to match the original OEM appearance
- Compatible with most basecoats
- Excellent adhesion over bare metal and paints and primers

DESCRIPTION	COLOR	PART #	SIZE	CASE
e-Coat	Black	666233 <b>91015</b>	12.6 oz	6
e-Coat	Gray	666233 <b>91016</b>	12.7 oz	6
e-Coat	Olive Green	666233 <b>91017</b>	12.8 oz	6
e-Coat	Light Green	666233 <b>91018</b>	12.7 oz	6
e-Coat	Tan	666233 <b>91019</b>	12.9 oz	6
e-Coat	White	666233 <b>91025</b>	12.4 oz.	6
e-Coat	Olive Brown	666233 <b>91026</b>	11.9 oz.	6
e-Coat	Dark Green	666233 <b>91027</b>	11.9 oz.	6
e-Coat	Field Drab	666233 <b>91028</b>	11.9 oz.	6



#### SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, Aluminum, bare steel, galvanized, SMC, fiberglass, and polyester body filler.



### Dry Guide Coat

- Identify surface defects when sanding fillers or primers
- Convenient aerosol application provides no waste and clean-up
- Dries instantly
- Does not clog abrasives
- Use when dry or wet sanding

DESCRIPTION	COLOR	PART #	SIZE	CASE
Dry Guide Coat	Black	666233 <b>91008</b>	10.9 oz	6



#### SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, fiberglass, and polyester body filler.



### Trim Black

- Restores trim back to original condition
- No adhesion promoter required
- Excellent coverage
- Maintains flexibility

DESCRIPTION	PART #	SIZE	CASE
Satin Trim Black	666233 <b>91013</b>	10.9 oz	6
Matte Trim Black	666233 <b>91014</b>	11 oz	6



#### SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, lightly abraded E-Coat, TPO, EDPM, and polypropylene.



### **Rocker Panel Texture Coat**

- A textured, durable coating to protect against stone chips, salt, damp and rust
- Includes two nozzles to recreate a variety of OEM textures
- Apply directly to sanded bare metal. For use on aluminum or galvanized, REVvive by RSG Acid Etch Primer is recommended
- High Build formulation covers seams and weld areas

DESCRIPTION	COLOR	PART #	SIZE	CASE
Rocker Panel Texture Coat	Gray	666233 <b>91011</b>	13.2 oz	6
Rocker Panel Texture Coat	Black	666233 <b>91012</b>	12.8 oz	6



### **Premium Rubberized Undercoating**

- Fast drying, paintable rubberized undercoating protects against stone chips and abrasion
- Non-sag, high rubber content coating with excellent build
- Texture matches OEM appearance
- Suited for wheel wells, trunks, lower body panels and underbodies
- Assists with sound deadening
- Substrates: bare metal or primed steel and aluminum (coated metal)

DESCRIPTION	COLOR	PART #	SIZE	CASE
Premium Rubberized Undercoating	Black	666233 <b>91029</b>	17.7 oz	6



### **Cavity Wax**

- OEM approved corrosion protection for cavities and inner body panels
- Excellent crevice penetration
- Dries firm to touch with a slight tack
- Convenient aerosol can eliminates the need for spray equipment

### **Cavity Wax Applicator Wand**

- Flexible design makes reaching difficult areas easy
- 360° tip designed for outstanding coverage
- Reduces mess

DESCRIPTION	PART #	SIZE	CASE
Cavity Wax	666233 <b>91022</b>	13.75 oz	12
Cavity Wax Applicator Wand	666233 <b>91023</b>		1



### **REVvive by RSG Attachment Tape Adhesion Promoter**

- REVvive by RSG Attachment Tape Adhesion Promoter is a liquid primer to improve the adhesion of automotive attachment tapes to exterior and interior trims involving injection molded and/or plastics (TPO, PPO, PP, PC, etc.)
- The convenient dauber style container neatly dispenses the ideal amount of product for optimal adhesion

DESCRIPTION	PART #	SIZE	CASE
Attachment Tape Adhesion Promoter	666233 <b>91030</b>	4 oz. Dauber	6







## Primers

REVvive by RSG present a full line of Primers with exceptional adhesion and corrosion protection in an easy-to-sand, fast drying solution for all repairs.



### Weld-Thru Primer

- Excellent adhesion
- High concentration of zinc for greater corrosion protection
- Superior conductivity while Resistance Spot, MIG and TIG welding
- Fast drying for maximum efficiency

DESCRIPTION	PART #	SIZE	CASE
Zinc Weld-Thru Primer	666233 <b>91000</b>	12.5 oz	6



#### SUBSTRATES:

Can be applied direct to metal, galvanized steel and aluminum.



### High Build Primer

- Fills uneven surfaces prior to top coating
- Ideal for spot repairs
- Includes 2 nozzles - flat fan and round for versatility in film build
- Easy to sand

DESCRIPTION	COLOR	PART #	SIZE	CASE
High Build Primer	Gray	666233 <b>91007</b>	12 oz	6



#### SUBSTRATES:

Can be applied directly to metal, prepared OEM painted surfaces, aluminum, galvanized steel, SMC, fiberglass, lightly abraded e-Coat, polyester body fillers, GRP.



### Universal Primer

- Direct adhesion to both metal and flexible plastics
- Fast drying and easy to sand- ideal for small rub through areas and localized repairs
- No adhesion promoter or etch primer required
- Can be top-coated with most water or solvent based paints

DESCRIPTION	COLOR	PART #	SIZE	CASE
Universal Primer	Gray	666233 <b>91003</b>	11.2 oz	6



#### SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, Aluminum, galvanized steel, directly on to metal, SMC, Fiberglass, lightly abraded E-Coat, TPO, EDPM, polypropylene.



### Acid Etch Primer

- One-step etch and prime formula prevents corrosion and promotes paint adhesion
- For use priming bare metal surfaces
- Ideal for rub-throughs
- No sanding required- can be directly top-coated

DESCRIPTION	COLOR	PART #	SIZE	CASE
Acid Etch Primer	Gray	666233 <b>91010</b>	12.9 oz	6



#### SUBSTRATES:

Can be applied to fully cured paint, Aluminum, galvanized & zinc-coated steel, bare steel, polyester body fillers, GRP.



## Cleaners

Cleaners from REVvive by RSG eliminate contaminants on all surfaces for a completely clean finish.



### Surface Degreaser

- Anti-silicone degreaser
- Wipes clean without leaving surface residue
- Fast evaporating and ideal for spot repairs
- Use on bare metal and painted surfaces

DESCRIPTION	PART #	SIZE	CASE
Surface Degreaser	666233 <b>91009</b>	9.9 oz	6



#### SUBSTRATES:

Direct to metal, prepared OEM paint surfaces, aluminum, galvanized, SMC, fiberglass, lightly abraded E-Coat.



### Spray Gun Cleaner

- Quickly dissolves cured paint residue
- Unique nozzle design creates a seal, giving a blast of cleaning solvent
- Use on waterborne or solvent-based paints
- Works with all gravity-feed guns and disposable cup adapters

DESCRIPTION	COLOR	PART #	SIZE	CASE
Spray Gun Paint Remover	Opaque	666233 <b>91024</b>	15 oz	6



REVvive by RSG Hyper Concentrates are ULTRA-CONCENTRATED automotive detail solutions that eliminate the need for any dilution system saving space and reducing the chances of mess. This new technology transforms bulky, 5 gallon concentrates into low viscosity, 64 oz. containers that stay uniform in the bottle allowing you to pump without having to shake the bottle.

- One 64oz REVvive by RSG Hyper Concentrate container holds enough solution to fill 96 spray bottles and reduces the size from a traditional 5 gallon jug, into a more space saving size.

**64 oz. = 5 Gallon Bucket**



## **REVvive by RSG Hyper Concentrate Degreaser**

- Powerful exterior degreaser that rapidly cleans the toughest dirt and stains. Quickly removes grease, tar, bugs and grime from engines, floors, and underbodies.

DESCRIPTION	COLOR	SCENT	PART #	SIZE	CASE
Hyper Concentrate Degreaser	Green	Apple	666233 <b>91104</b>	64 oz.	4



## **REVvive by RSG Hyper Concentrate All-Purpose Cleaner**

- All-in-one organic interior and exterior cleaner that rapidly eliminates the toughest stains, grease, oil, dirt, and odors from all surfaces.

DESCRIPTION	COLOR	SCENT	PART #	SIZE	CASE
Hyper Concentrate All-Purpose Cleaner	Yellow	Citrus	666233 <b>91103</b>	64 oz.	4



## **REVvive by RSG Hyper Concentrate Wheel Cleaner**

- Strong environmentally safe wheel cleaner removes oxidation, brake dust, tar, and tough dirt. Safe for clear coated, painted, aluminum, and magnesium rims. Does not contain hydrofluoric or sulfuric acids.

DESCRIPTION	COLOR	SCENT	PART #	SIZE	CASE
Hyper Concentrate Wheel Cleaner	Purple	Grape	666233 <b>91101</b>	64 oz.	4



## **REVvive by RSG Hyper Concentrate Soap**

- Highly concentrated, pH balanced formula delivers full-bodied foaming lather that easily removes grime, road film, and dirt without dulling painted finish.

DESCRIPTION	COLOR	SCENT	PART #	SIZE	CASE
Hyper Concentrate Soap	Red	Cherry	666233 <b>91100</b>	64 oz.	4





## REVvive by RSG Hyper Concentrate Glass Cleaner

- Alcohol based, ammonia free, non-streaking, fog and smudge resistant formula works great on windshields, mirrors, plastic, and headlights.

DESCRIPTION	COLOR	SCENT	PART #	SIZE	CASE
Hyper Concentrate Glass Cleaner	Blue	None	666233 <b>91102</b>	64 oz.	4



## REVvive by RSG Hyper Concentrate Spray Bottle

- For use with REVvive by RSG Hyper Concentrates, this 32-ounce handy hold spray bottle is OSHA compliant and has a chemical resistant sprayer.

DESCRIPTION	PART #	SIZE	CASE
Hyper Concentrate Spray Bottle	666233 <b>91105</b>	32 oz.	24



## REVvive by RSG Hyper Concentrate Pump

- For use with REVvive by RSG Hyper Concentrates this no-drip pump accurately dispenses concentrates into 32 ounce secondary bottles.
- The REVvive by RSG Hyper Concentrate Pump delivers 2 – 3 ounces of product per pump when adding the chemical to the dilution with the water for a 32-ounce spray bottle of chemical.

DESCRIPTION	PART #	CASE
Hyper Concentrate Pump	666233 <b>91106</b>	24





Farécla buff pads have a unique CCS waffle design that resolves the common problems of the traditional waffle.

### **Benefits of CCS Design**

Farécla foam pads are manufactured using the finest engineered foams specifically designed for cutting, polishing, and finishing. They are thermally reticulated with an open cell structure, which allows air to circulate through the pad reducing heat build-up.

- Slower rate of absorption enhancing polish performance
- Gradually releases compound as needed by the operator, enhancing pad and compound performance
- Reduces surface contact resulting in less friction generated heat
- Diminishes surface friction allowing operator to run pad flat preventing skipping

### **Three Proven Professional Foam Formulations:**

- White Cutting Foam— for removing sanding scratches, deep scratches, oxidation, and weathered paint
- Black Polishing Foam— to remove light swirl marks
- Blue Finishing Foam— for use with a final polish or glaze to create exceptional shine



### **Single-Sided Pads**

Farécla single-sided pad has a beveled edge design to allow access under trim and improve user control. The recessed back provides accurate alignment for balance and protects against backing plate contact.

#### **Back-Up Plate**

The Farécla back-up plate is intended for use with the Farécla single-sided foam pads.

DESCRIPTION	PART #	CASE
<b>8" Single-Sided Pads</b>		
8" Single-Sided CCS Waffle Foam Pad - White	666233 <b>91306</b>	6
8" Single-Sided CCS Waffle Foam Pad - Black	666233 <b>91307</b>	6
8" Single-Sided CCS Waffle Foam Pad - Blue	666233 <b>91308</b>	6
8" Single-Sided Cutting Wool Pad	666233 <b>91315</b>	6
8" Back-up Plate	666233 <b>91314</b>	6
<b>3.5" Single-Sided Pads</b>		
3.5" Single-Sided CCS Waffle Cutting Foam Pad- Orange	666233 <b>91319</b>	6
3.5" Single-Sided CCS Waffle Polishing Foam Pad- Black	666233 <b>91320</b>	6
3.5" Single-Sided CCS Waffle Finishing Foam Pad- Blue	666233 <b>91321</b>	6
3.5" Single-Sided Cutting Wool Pad	666233 <b>91318</b>	6
3.5" Back Up Plate	666233 <b>91316</b>	6
<b>Accessories</b>		
Rotary Extension	666233 <b>91317</b>	6



### **Double-Sided Pads**

Farécla double-sided pad has a highly engineered center plate designed to minimize pad hop or chatter with the perfect amount of flexibility when buffing contours.

#### **Wool Pad**

The Farécla double-sided wool pad is a 100% steamed and twisted white wool designed to eliminate severe swirls, scratches or heavy oxidation from sanded or wet sanded refinished paint surfaces.

DESCRIPTION	PART #	CASE
8" Double-Sided CCS Waffle Foam Pad - White	666233 <b>91310</b>	6
8" Double-Sided CCS Waffle Foam Pad - Black	666233 <b>91311</b>	6
8" Double-Sided CCS Waffle Foam Pad - Blue	666233 <b>91312</b>	6
Double-Sided Pad Adapter	666233 <b>91313</b>	6
8" Double-Sided Cutting Wool Pad	666233 <b>91309</b>	6



## Super Fast. Super Easy!

Farécla G360 is a radical new polishing system. Farécla G360 Compound and Finish and Farécla buffing pads are the perfect combination.

Manufactured using the finest engineered foams specifically designed for cutting, polishing, and finishing the Farécla CCS Waffle buffing pads are designed to allow air to circulate through the pad reducing heat build-up.



### G360 Super Fast Compound

G360 Super Fast Compound easily glides over the surface while rapidly cutting to remove P1200 sanding marks- saving time and money. Transparent in use, the operator is able to see these marks disappear permanently.

- Removes P1200 or finer scratches
- Use on all refinish clear coats and OEM paint
- Heavy viscosity for reduced sling and easy clean-up
- Easy glide technology

DESCRIPTION	PART #	CASE
Farécla G360 Super Fast Compound	666233 <b>90600</b>	6



### G360 Super Fast Finish

G360 Super Fast Finish easily eliminates swirl marks and other minor defects rapidly and with little effort, leaving an enhanced deep gloss finish. Transparent in use, the operator is able to see the permanent results.

Ideal for darker colors, after using G360 Super Fast Compound system.

- Ultra high gloss finish
- Eliminates swirl marks and fine scratches
- Transparent in use
- Minimal wiping

DESCRIPTION	PART #	CASE
Farécla G360 Super Fast Finish	666233 <b>90601</b>	6



## Witness the Ultimate Comprehensive Refinishing Solution System!

Farécla G360 Compound and Finish and Farécla buff pads are the perfect combination. Manufactured using the finest engineered foams specifically designed for cutting, polishing, and finishing the Farécla CCS Waffle buff pads are designed to allow air to circulate through the pad reducing heat build-up.

<https://youtu.be/BubFf150KVA>



## ***Because Every Detail Matters!***

Perfection is in the details. Farécla G3 Pro concentrates achieve a superior clean, bringing back that new car shine. The Farécla G3 Pro metering system accurately dispenses G3 Pro concentrates and alleviates the waste of manual dilution.



### ***G3 Pro Ultra Foam Auto Wash***

- Super Suds formula softens and dissolves all dirt and contaminants for effortless cleaning
- Non-toxic, biodegradable formula
- To reduce water spots, use with deionized water
- Silicone-free and bodyshop safe

DESCRIPTION	PART #	SIZE	CASE
G3 Pro Ultra Foam Auto Wash	666233 <b>90605</b>	5 gallon	1



### ***G3 Pro Silicone-Free Tire Dressing***

- Fast drying formula revives rubber tire and plastic trims
- Ideal for engine bay dressing
- For interior plastic trims, use 1:4 dilution ratio
- pH neutral, silicone-free, and bodyshop safe

DESCRIPTION	PART #	SIZE	CASE
G3 Pro Silicone-Free Tire Dressing	666233 <b>90607</b>	5 gallon	1



### ***G3 Pro Water-Based Degreaser***

- Lifts away baked-on grease, grime, and carbon deposits
- Silicone-free
- Versatile with variable dilution options

DESCRIPTION	PART #	SIZE	CASE
G3 Pro Water-Based Degreaser	666233 <b>90602</b>	5 gallon	1





### **G3 Pro Wheel Cleaner**

- Dissolves brake dust and other iron rich contaminants
- Suitable on clear coat and painted finishes
- Silicone-free and biodegradable formula

DESCRIPTION	PART #	SIZE	CASE
G3 Pro Wheel Cleaner	666233 <b>90606</b>	5 gallon	1



### **G3 Pro All-Purpose Cleaner**

- Easily breaks down dirt and grease on any surface
- Silicone-free, biodegradable formula and bodyshop safe
- For interior and exterior applications
- Versatile with variable dilution options

DESCRIPTION	PART #	SIZE	CASE
G3 Pro All-Purpose Cleaner	666233 <b>90603</b>	5 gallon	1



### **G3 Pro Glass Cleaner**

- Removes tough grime, dirt, oily film and fingerprints leaving a streak-free shine
- Safe on plastic and rubber trims
- For interior and exterior applications

Silicone-free, biodegradable formula and bodyshop safe

DESCRIPTION	PART #	SIZE	CASE
G3 Pro Glass Cleaner	666233 <b>90604</b>	5 gallon	1



### **G3 Pro Metering Unit**

- The Farécla G3 Pro metering unit accurately and efficiently dispenses up to 6 of the Farécla G3 Pro concentrates
- Easy to install and use, the unit reduces the waste of manual dilution

DESCRIPTION	PART #	CASE
G3 Pro Metering Unit	666233 <b>90608</b>	1



### **G3 Pro Spray Bottles**

- 32 ounce empty spray bottles
- Standard nozzle included
- Includes 12 labels for each Farécla G3 Pro concentrate

DESCRIPTION	PART #	CASE
G3 Pro Spray Bottles	666233 <b>90609</b>	1

# MASKING PRODUCTS – MASKING TAPE

Leaves no residue / Conforms to irregular surfaces



## For the best finish, get the best start.

For more than 50 years, the American name has been recognized for innovative and high-quality tape. Proudly made in the USA by Intertape Polymer Group, American® Brand tapes are engineered from quality materials designed to withstand heat, solvents and waterborne materials typical of refinishing operations.



### Orange Mask®

American® Brand Orange Mask® (OM) is a high performance masking tape developed to provide superior adhesion, UV resistance for up to 3 days. OM fine crepe paper backing unwinds and applies smoothly and removes cleanly to deliver clean crisp paint lines. Resistant to temperatures up to 250°F (121°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through. Superior for wet sanding applications and resists paint flaking.

(60YD) 54.8M LENGTH

DESCRIPTION	COLOR	PART #	CASE
(1/4") 6mm	Orange	08714300579	38
(1/2") 12mm	Orange	08714300577 NS	72
(3/4") 18mm	Orange	08714300306	48
(1") 24mm	Orange	08714300307	36
(1-1/2") 36mm	Orange	08714300308	24
(2") 48mm	Orange	08714300309	24
(3") 72mm	Orange	08714300690	16



### PG

American® Brand PG is a high quality masking tape with good quick stick and holding properties and excellent cornering. PG is designed for clean and easy removal from a variety of hot or cold surfaces. UV resistance for 3 days. PG fine crepe paper backing unwinds and applies smoothly and removes cleanly to deliver crisp paint lines. Resistant to temperatures up to 250°F (121°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through. Superior for wet sanding applications and resists paint flaking.

(60YD) 54.8M LENGTH

DESCRIPTION	COLOR	PART #	CASE
(1/4") 6mm	Beige	08714300587 NS	36
(1/2") 12mm	Beige	08714300586 NS	72
(3/4") 18mm	Beige	08714300310	48
(1") 24mm	Beige	08714300311	36
(1-1/2") 36mm	Beige	08714300312	24
(2") 48mm	Beige	08714300313	24
(3") 72mm	Beige	08714300581	16



### AM

American® Brand AM is the cost-effective solution designed for clean and easy removal. UV resistance for 3 days. AM tape has a controlled unwind, is good for cornering and is resistant to temperatures up to 225°F (107°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through and resists paint flaking. Superior for wet sanding applications.

(60YD) 54.8M LENGTH

DESCRIPTION	COLOR	PART #	CASE
(3/4") 18mm	Aqua	08714300314	48
(1") 24mm	Aqua	08714300315	36
(1-1/2") 36mm	Aqua	08714300316	24
(2") 48mm	Aqua	08714300317	24
(3") 72mm	Aqua	08714300580	16

# MASKING PRODUCTS – MASKING TAPE

Leaves no residue / Conforms to irregular surfaces



## MP

Capable of withstanding oven temperatures up to 250°F (121°C) for one hour, MP provides higher temperature resistance versus most general purpose masking tapes. MP provides controlled unwind, good cornering, excellent adhesion to backing when layered, and is superior for wet sanding, and resists paint flaking. MP is also UV resistant for up to 3 days with clean removal. Moisture- and stain-resistant, its specially designed adhesive sticks firmly and securely to most surfaces and removes cleanly.

(60YD) 54.8M LENGTH

DESCRIPTION	COLOR	PART #	CASE
(1") 24mm	Beige	087143 <b>00500</b> NS	36
(1-1/2") 36mm	Beige	087143 <b>00501</b>	24
(2") 48mm	Beige	087143 <b>00502</b>	24



## UG

An economical, yet very reliable masking tape to meet the needs of most collision repair and refinish shops. American® Brand UG offers an excellent balance of quick stick, panel adhesion and holding properties. Under normal temperature conditions, UG is the tape of choice for fast, basic service, including wet-stripping. UG provides good cornering, temperature resistance up to 175°F (80°C) for 30 minutes, UV resistance for up to 3 days, excellent adhesion to backing when layered, controlled unwind, clean removal; stain resistant; resists bleed-through, and resists paint flaking.

(60YD) 54.8M LENGTH

DESCRIPTION	COLOR	PART #	CASE
(3/4") 18mm	Beige	077922 <b>88400</b>	48
(1") 24mm	Beige	077922 <b>88401</b> NS	36
(1-1/2") 36mm	Beige	077922 <b>88402</b>	24
(2") 48mm	Beige	077922 <b>88403</b>	24

NS = NON-STOCK; CONTACT CUSTOMER SERVICE FOR LEAD-TIMES.







## FM35 Blue Fine Line

The American® Brand FM35 fine line tape offers superior conformability, secure laydown and consistently straight lines. The fine line FM35 tape is ideal for detailed design work, striping, two-tone paint schemes and masking around critical areas such as headlights. The FM35 is preferred for medium to high temperature applications, where a sharp fine line is required including composite and fiberglass (gelcoat) fabrication. It's designed to offer a high degree of conformability, solvent – resistance and is waterproof with an operating temperature range of 40°F to 280°F (4.4°C to 138°C). From basic paint jobs to detailed designs, American® brand FM35 fine line masking tape is your solution!

(36YD) 32.9M LENGTH		
DESCRIPTION	PART #	CASE
(1/8") 3.17mm	662611 <b>82688</b>	15
(1/4") 6.35mm	662611 <b>82686</b>	14
(1/2") 12.7mm	662611 <b>82685</b>	13



## Trim-Fast™

This premium automotive trim masking tape is designed to lift the molding from the surface to be painted to allow paint coverage under the molding.

(10.94YD) 10M LENGTH		
DESCRIPTION	PART #	CASE
(2") 50mm	077922 <b>00268</b>	6



## IPG Cloth Duct Tape AC20

Silver polyester cloth tape is highly conformable and moisture resistant. Ideal for general-purpose repair applications.

2" x 60 yds		
DESCRIPTION	PART #	CASE
(2") 50.8mm	077922 <b>74977</b>	24







## Crash Tested. OEM Approved.

Fusor® Repair Adhesives' product line is known for its innovative OEM approved products and expertise in providing collision repair adhesive solutions. Fusor's leading adhesives, sealers and plastic repair solutions combined with the product portfolio and strong sales team of the Refinish Solutions Group provide you with a one-stop, comprehensive refinishing solutions system to increase productivity, reduce cycle time, and improve quality.

PART #	DESCRIPTION	WORK TIME	HANDLING / CLAMP TIME	PAINT TIME	FULL CURE	SUBSTRATES	CHEMISTRY	COLOR
666233 <b>90978</b> 808498 <b>10007</b>	Fusor 110B/111B Metal Bonding Adhesive (Fast)	5 minutes	20 minutes	—	2 hours	Steel and aluminum	Acrylic 2K	Green
666233 <b>90969</b> 808498 <b>10006</b>	Fusor 108B/109B Metal Bonding Adhesive (Med.)	40 minutes	2 hours	—	4 hours	Steel and aluminum	Acrylic 2K	Green
666233 <b>90970</b> 808498 <b>10008</b>	Fusor 112B/113B Metal Bonding Adhesive (Slow)	70 minutes / 35 minutes @ 90F (32C)	3 hours	—	8 hours	Steel and aluminum	Acrylic 2K	Gray
666233 <b>90983</b>	Fusor 208B Panel Bonding Adhesive (Slow)	90 minutes	4 hours / 30 minutes @ 140°F (60°C)	Immediately	24 hours / 1 hour @ 140°F (60°C)	Steel, aluminum and SMC/FRP	Epoxy 2K	Gray
666233 <b>90982</b>	Fusor 209B Crash Durable Structural Adhesive (Slow)	90 minutes	6 hours / 30 minutes @ 140°F (60°C)	24 hours / 30 minutes @ 140°F (60°C)	24 hours / 2 hours @ 140°F (60°C)	Steel, aluminum, FRP	Epoxy 2K	Blue

Technical data reported @ 70°F (21°C) unless noted.



### Metal Bonding Adhesive (Fast) | BARE METAL

**Applications:** Patch panel bonding and weld bonding of properly prepared dissimilar metals, cab corners, panel sections and aluminum trailer repair patches

#### Features & Benefits:

- Fast cure
- No welding required
- Guaranteed corrosion protection

#### OEM Approvals & Recommendations:

GM, Nissan, Mazda, Ford  
Honda: In-plant repair, collision repair  
Acura: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Green	110B	666233 <b>90978</b>	6
1.7 oz (50 mL)	Green	111B	808498 <b>10007</b>	12



### Metal Bonding Adhesive (Medium) | BARE METAL

**Applications:** Panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels

#### Features & Benefits:

- 6 to 8 times faster than epoxy or urethane panel bonders
- No welding required
- Guaranteed corrosion protection
- Can be riveted and resistance welded

#### OEM Approvals & Recommendations:

GM, Mazda, Nissan, Ford,  
Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Green	108B	666233 <b>90969</b>	6
1.7 oz (50 mL)	Green	109B	808498 <b>10006</b>	12



### **Metal Bonding Adhesive (Slow) | BARE METAL**

**Applications:** Panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels

**Features & Benefits:**

- Long open time for large panel replacement
- Ideal for hot temperature conditions
- Guaranteed corrosion protection
- Can be riveted and resistance welded

**OEM Approvals & Recommendations:**

Chrysler, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Gray	112B	666233 <b>90970</b>	6
1.7 oz (50 mL)	Gray	113B	808498 <b>10008</b>	12



### **Panel Bonding Adhesive (Slow) | BARE METAL**

**Applications:** Metal and plastic panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels

**Features & Benefits:**

- Paint and sand with no need to remove adhesive squeeze out
- Low odor
- Bonds plastic, e-coat and bare metals
- Excellent corrosion protection

**OEM Approvals & Recommendations:**

Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Gray	208B	666233 <b>90983</b>	6



### **Crash Durable Structural Adhesive (Slow) | BARE METAL**

**Applications:** Metal and plastic panel bonding, weld and rivet bonding of replacement structural and non-structural auto body panels

**Features & Benefits:**

- Higher impact strength performance
- Excellent corrosion protection
- Versatile and easy to use
- Bonds plastic, e-coat and bare metals
- Weld immediately

**OEM Approvals & Recommendations:**

GM, PSA Peugeot, Tesla,  
Chrysler/Fiat, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Blue	2098	666233 <b>90982</b>	6

Use Fusor 420 Mixing Tip.

PART #	DESCRIPTION	WORK TIME	CLAMP TIME	SAND TIME	PAINT TIME	SUBSTRATES	CHEMISTRY	COLOR
666233 <b>90981</b> 808498 <b>10169</b>	Fusor 132/133 Plastic Repair Adhesive (Super Fast)	1 minutes	10 minutes	10 minutes	10 minutes	All types of plastic, SMC or fiberglass, ecoat, primed and painted metals	Urethane 2K	Black
666233 <b>90963</b> 808498 <b>10030</b>	Fusor 142/143 Plastic Repair Adhesive (Fast)	1 minutes	10 minutes	20 minutes	30 minutes	All plastic bumpers, SMC or fiberglass panels, ecoat, primed and painted metals	Urethane 2K	Black
666233 <b>90976</b> 808498 <b>10107</b>	Fusor 152/153 Plastic Repair Adhesive (Medium)	3 minutes	30 minutes / 5 minutes @ 140°F (60°C)	90 minutes / 3 minutes @ 140°F (60°C)	2 hours / 60 minutes with heat cure	All plastic bumpers, SMC or fiberglass panels, ecoat, primed and painted metals	Urethane 2K	Black
666233 <b>90980</b> 808498 <b>10166</b>	Fusor 114LG/114SM Plastic Finishing Adhesive (Fast)	2 minutes	—	20 minutes	60 minutes	Finishing adhesive for all plastics including PP, fiberglass, Metton®, Telene®, SMC, TEQ, urethane and carbon fiber	Epoxy 2K	Red
666233 <b>90968</b>	Fusor 102 Plastic Cosmetic Repair Adhesive (Fast)	2 minutes	—	20 minutes	60 minutes	Repair scratches and gouges on rigid plastics, SMC, fiberglass and GTX	Epoxy 2K	Beige
666233 <b>90967</b> 808498 <b>10001</b>	100EZ/101EZ Plastic Repair Adhesive (Heat Set)	40 minutes	—	10 minutes @ 180°F (82°C)	60 minutes @ 180°F (82°C)	All types of rigid body plastics such as SMC, GTX, fiberglass, Metton® and carbon fiber	Epoxy 2K	Beige
666233 <b>90962</b> 808498 <b>10015</b>	Fusor 141/140 Clear Plastic Bonding Adhesive (Fast)	1 minutes	5 minutes	30 minutes	30 minutes	Plastics, primed and painted metals, glass, wood and other surfaces	Urethane 2K	Clear
666233 <b>90964</b> 808498 <b>10016</b>	Fusor 147/148 Plastic Bonding Adhesive (Medium)	5 minutes	90 minutes / 15 minutes @ 140°F (60°C)	—	90 minutes / 15 minutes @ 140°F (60°C)	SMC, fiberglass, carbon fiber and other plastics to itself and primed metal	Urethane 2K	Brown
666233 <b>90960</b>	Fusor 127EZ Plastic Bonding Adhesive (Slow)	50 minutes	5 hours / 30 minutes @ 140°F (60°C)	—	4 hours / 30 minutes @ 140°F (60°C)	SMC, fiberglass, carbon fiber and other plastics to itself and primed metal	Urethane 2K	Off White
808498 <b>10038</b>	Fusor T21 Composite Adhesive (Slow)	45 minutes	4 hours / 20 minutes @ 180°F (82°C)	60 minutes @ 180°F (82°C)	60 minutes @ 180°F (82°C)	Plastics, SMC and fiberglass to itself and primed metals	Epoxy 2K	Gray
666233 <b>90966</b>	Fusor T22 Truck Plastic Bonding Adhesive (Fast)	5 minutes	60 minutes / 15 minutes @ 140°F (60°C)	—	—	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige
666233 <b>90975</b>	Fusor T23 Truck Plastic Bonding Adhesive (Medium)	20 minutes	3 hours / 22 minutes @ 140°F (60°C)	—	—	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige

Technical data reported @ 70°F (21°C) unless noted.



### Plastic Repair Adhesive (Super Fast) | SANDABLE

**Applications:** Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs

#### Features & Benefits:

- No need for plastic identification with use of Fusor 602EZ
- Sand and paint in 10 minutes
- Faster than plastic welding
- Stronger than stapling
- One product for all plastic repairs
- Undetectable feather edge

#### OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, GM, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Black	132	666233 <b>90981</b>	6
1.7 oz (50 mL)	Black	133	808498 <b>10169</b>	12



### Plastic Repair Adhesive (Fast) | SANDABLE

**Applications:** Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs

**Features & Benefits:**

- Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- Sandable in minutes
- No need for plastic identification with use of Fusor 602EZ

**OEM Approvals & Recommendations:**

Ford, GM, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Black	142	666233 <b>90963</b>	6
1.7 oz (50 mL)	Black	143	808498 <b>10030</b>	12



### Plastic Repair Adhesive (Medium) | SANDABLE

**Applications:** Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs

**Features & Benefits:**

- Enough work time for larger repairs; ideal for hot temperature conditions
- Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- Sandable in minutes
- No need for plastic identification with use of Fusor 602EZ
- On demand cure with heat

**OEM Approvals & Recommendations:**

Ford, GM, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Black	152	666233 <b>90976</b>	6
1.7 oz (50 mL)	Black	153	808498 <b>10107</b>	12



### Plastic Finishing Adhesive (Fast) | SANDABLE

**Applications:** Finishing adhesive for cosmetic repair of all plastic bumpers and body panels

**Features & Benefits:**

- No plastic identification is required
- No adhesion promoters needed
- Epoxy formula sands to a perfect feather edge in 20 minutes or less
- Use with or without mixing tip

**OEM Approvals & Recommendations:**

Chrysler/Fiat, GM, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Red	114LG	666233 <b>90980</b>	6
1.7 oz (50 mL)	Red	114SM	808498 <b>10166</b>	12



### Plastic Cosmetic RepaVir Adhesive (Fast) | SANDABLE

**Applications:** Cosmetic repair of scratches and gouges on body panels, hoods, decks and doors

**Features & Benefits:**

- Sands easily without loading sandpaper
- No bull's-eyes, read-throughs or halos

**OEM Approvals & Recommendations:**

Volvo Truck

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Beige	102	666233 <b>90968</b>	6





## Plastic Repair Adhesive (Heat Set) | SANDABLE

**Applications:** Structural and cosmetic repair of auto and heavy duty truck composite, fiberglass, SMC and carbon fiber panels

### Features & Benefits:

- One product for all body panels
- Easily sands to a feather edge to provide undetectable repairs
- No bull's-eyes, read-throughs or halos

### OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, GM, Nissan, Volvo Truck

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Beige	100EZ	666233 <b>90967</b>	6
1.7 oz (50 mL)	Beige	101EZ	808498 <b>10001</b>	12

Use Fusor 702 Fiberglass Cloth.



## Clear Plastic Bonding Adhesive (Fast) | SANDABLE

**Applications:** Rebuild bumper and headlight tabs, bond emblems, body side moldings, plastic backer panels, decorative vents, wheel opening moldings, rear wind deflectors and ground effects

### Features & Benefits:

- Clear urethane, non-yellowing structural adhesive
- Fast cure
- High-strength, flexible bond

### OEM Approvals & Recommendations:

Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Clear	141	666233 <b>90962</b>	6
1.7 oz (50 mL)	Clear	140	808498 <b>10015</b>	12



## Plastic Bonding Adhesive (Medium) | SANDABLE

**Applications:** Installation and bonding of small body panels, spoilers, ground effects and headlight buckets

### Features & Benefits:

- High-strength structural adhesive
- Easy to gun, urethane non-sag formula
- Provides faster cure time for smaller interior and exterior parts

### OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, GM, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Brown	147	666233 <b>90964</b>	6
1.7 oz (50 mL)	Brown	148	808498 <b>10016</b>	12



## Plastic Bonding Adhesive (Slow) | SANDABLE

**Applications:** Plastic body panels, spoilers and ground effects; excellent for cab extenders, wood and other surfaces

### Features & Benefits:

- High-strength urethane structural adhesive
- Provides enough work time for bonding large primed metal or plastic parts
- Easy to gun, non-sag formula

### OEM Approvals & Recommendations:

GM

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Off White	127EZ	666233 <b>90960</b>	6



## Composite Adhesive (Slow) | SANDABLE

**Applications:** Bonding of fairings, body panels, spoilers, ground effects, wind deflectors, roofs and fender liners; repairs cracks, punctures and tears

### Features & Benefits:

- One product bonds and finishes all plastic panels
- OEM epoxy formula
- Great for heavy-duty truck repair
- High strength
- Excellent gap-filling properties

### OEM Approvals & Recommendations:

Ford, GM, Kenworth, Mack, Navistar,  
Paccar, Peterbilt, Volvo Truck

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Gray	T21	666233 <b>90965</b>	6

Use Fusor 420 Mixing Tip.



## Truck Plastic Bonding Adhesive (Fast) | STRUCTURAL

**Applications:** Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels

### Features & Benefits:

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives

### OEM Approvals & Recommendations:

Kenworth, Peterbilt

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Beige	T22	666233 <b>90966</b>	6



## Truck Plastic Bonding Adhesive (Medium) | STRUCTURAL

**Applications:** Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels

### Features & Benefits:

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives

### OEM Approvals & Recommendations:

Kenworth, Peterbilt

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Beige	T23	666233 <b>90975</b>	6



PART #	DESCRIPTION	WORK TIME	SKIN TIME	FULL EXPANSION	SAND TIME	PAINT TIME	SUBSTRATES	CHEMISTRY	COLOR
666233 <b>90985</b> 808498 <b>10037</b>	Fusor 123/126 Non-Sag Seam Sealer (Fast)	3 minutes	—	—	—	10 minutes (Paint within 24 hours or scuff before painting)	Bare metal or primed surfaces	Urethane 2K	White
666233 <b>90986</b>	Fusor 123MD Non-Sag Seam Sealer (Medium)	15 minutes	—	—	—	45 minutes	Bare metal or primed surfaces	Urethane 2K	White
666233 <b>90974</b> 808498 <b>10013</b>	Fusor 123EZ/126EZ Non-Sag Seam Sealer (Medium)	10 minutes / 5 minutes @ 90°F(32°C)	—	—	30 minutes	30 minutes	Apply over 2K primers	Epoxy 2K	Blue
666233 <b>90984</b> 808498 <b>10180</b>	Fusor 123SL/126SL Non-Sag Seam Sealer (Slow)	45 minutes	—	—	—	10 minutes (Paint within 24 hours or scuff before painting)	Bare metal or primed surfaces	Urethane 2K	White
666233 <b>90979</b>	Fusor 019 Bare Metal Brushable Seam Sealer (Medium)	6 minutes	—	—	10 minutes	10 minutes (Paint within 24 hours)	Bare metal	Acrylic 2K	Green
808498 <b>10075</b>	Fusor 129 Controlled Flow Seam Sealer (Fast)	5 minutes	—	—	30 minutes	30 minutes	Bare metal	Epoxy 2K	Beige
666233 <b>90972</b>	Fusor 122EZ Self-Leveling Seam Sealer (Medium)	8 minutes	—	—	30 minutes	30 minutes	Apply over 2K primers	Epoxy 2K	Blue
808498 <b>10170</b> 666233 <b>90996</b> 808498 <b>10171</b>	Fusor 800DTM/ 801DTM/803DTM Direct-To-Metal Sealer	—	25 minutes, 50% RH	—	—	Immediately or up to 30 days without a scuff (Test with paint system)	Bare metal, cold rolled steel, ecoat and aluminum	Silane Terminated Polymer 1K	Neutral/ White/Black
808498 <b>10158</b> 808498 <b>10159</b> 808498 <b>10160</b> 808498 <b>10161</b>	Fusor 802HD/804HD/ 805HD/806HD High Definition Spraya- ble Sealer	—	20 minutes, 50% RH	—	—	Immediately or up to 30 days without a scuff (Test with paint system)	Bare or primed metal, SMC, fiber- glass, over epoxy or urethane primers	Silane Terminated Polymer 1K	White/Gray/ Black/Beige
666233 <b>90971</b> 808498 <b>10011</b>	Fusor 121/124 Flexible Foam (Super Fast)	10 seconds	—	3 minutes	—	10 minutes	Apply over 2K primers	Urethane 2K	Black
666233 <b>90977</b>	Fusor 130 Rigid Foam (Super Fast)	25 seconds	—	4 minutes	—	10 minutes	Apply over 2K primers	Urethane 2K	Beige
666233 <b>90985</b>	Fusor 231 Sound Dampening Material (Slow)	60 minutes	—	—	—	—	Bare metal or over 2K primed metal	Urethane 2K	Black

Technical data reported @ 70°F (21°C) unless noted.



## Non-Sag Seam Sealer (Fast) | FULL BODIED

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where fast work time is desired

### Features & Benefits:

- Duplicates factory appearance
- Gets the job done in 10 minutes
- Bright white color
- Can be used without primer

### OEM Approvals & Recommendations:

Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	White	123	666233 <b>90985</b>	6
1.7 oz (50 mL)	White	126	808498 <b>10037</b>	12



### **Non-Sag Seam Sealer (Medium) | BARE METAL SEALER**

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where medium work time is desired

**Features & Benefits:**

- Duplicates factory appearance
- Can be used with or without primer
- Extended work time
- Bright white color

**OEM Approvals & Recommendations:**

Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	White	123MD	666233 <b>90986</b>	6



### **Non-Sag Seam Sealer (Medium) | FULL BODIED**

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where longer work time is desired

**Features & Benefits:**

- Duplicates factory appearance
- Longer work time
- Sandable

**OEM Approvals & Recommendations:**

GM, Ford, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Blue	123EZ	666233 <b>90973</b>	6
1.7 oz (50 mL)	Blue	126EZ	808498 <b>10013</b>	12



### **Non-Sag Seam Sealer (Slow) | FULL BODIED**

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application requiring a longer work time, non-sag cosmetic seam sealer, or where high ambient temperatures are encountered

**Features & Benefits:**

- Duplicates factory appearance
- Longer work time

**OEM Approvals & Recommendations:**

Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	White	123SL	666233 <b>90984</b>	6
1.7 oz (50 mL)	White	126SL	808498 <b>10180</b>	12



### **Bare Metal Brushable Seam Sealer (Medium) | BARE METAL SEALER**

**Applications:** Truck bed seams, tooled door skin seams, floor pan seams, core support seams and other applications where bare metal, brushable cosmetic seam sealer is required

**Features & Benefits:**

- Acrylic formula provides corrosion protection
- Perfect match to OEM brushed appearance

**OEM Approvals & Recommendations:**

Chrysler/Fiat, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Green	019	666233 <b>90979</b>	6



### **Controlled Flow Seam Sealer (Fast) | CONTROLLED FLOW**

**Applications:** Excellent for roof channels, door seams, drip rails and truck bed floor seams and trunk seams

**Features & Benefits:**

- Epoxy formula provides smooth continuous beads with no gun lines
- No tooling required for factory look
- Sandable
- Can be used with or without primer

**OEM Approvals & Recommendations:**

Ford, Chrysler/Fiat, GM, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Beige	129	666233 <b>90961</b>	6





## Self-Leveling Seam Sealer (Medium) | FLOWABLE

**Applications:** Drip rails, trunks, core support to aprons, roof seams and quarter panel to rear deck

### Features & Benefits:

- Perfectly matches factory flow-grade seams
- No tooling required
- Permanently flexible
- Sandable
- Color changes to indicate cure

### OEM Approvals & Recommendations:

Ford, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Blue	122EZ	666233 <b>90972</b>	6



## Sound Dampening Material (Slow) | NOISE VIBRATION DAMPENING

**Applications:** Sound dampening and sealing of: roof bows and roof skin, door skin and intrusion beam, quarter panel and inner structure, hoods and deck lids to inner structure. Ideal for overhead and vertical applications where a non-sag material is required.

### Features & Benefits:

- Matches OEM performance
- Flexible seal with no shrinkage or read-through; non-expanding
- Extended work time for large applications
- Non-sag formula remains in position on vertical and overhead surfaces
- Excellent adhesion to metal, e-coat and existing NVH materials

### OEM Approvals & Recommendations:

Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Black	231	666233 <b>90985</b>	6



## Direct-To-Metal Sealer | BARE METAL

**Applications:** Duplicates factory look on standing seams, cosmetic seams, truck bed seams, tooled door skin seams, floor pan seams, core support seams and brushed seams and any other application in which a non-sag cosmetic seam sealer is required

### Features & Benefits:

- Single component direct-to-metal; no substrate primer required
- Non-sag
- Holds brush marks without die back
- Weld-thru with no burn back

### OEM Approvals & Recommendations:

Ford, GM, Honda/Acura, Nissan, Volvo Truck

SIZE	COLOR	FUSOR #	PART #	CASE
10 oz (296 mL)	Neutral	800DTM	808498 <b>10170</b>	12
10 oz (296 mL)	White	801DTM	666233 <b>90996</b>	12
10 oz (296 mL)	Black	803DTM	808498 <b>10171</b>	12





## High Definition Sprayable Sealer | BARE METAL

**Applications:** Creates flexible textured seams on floor pans, trunk pans, strut towers, exterior and truck bed seams; restore rocker panel chip guard texture and trunk area texture. Duplicates weld-thru sealing

### Features & Benefits:

- Extremely flexible – won't crack or peel
- Perfectly matches all OEM seams and textures with use of Fusor 312 Sprayable Seam Sealer Applicator

### OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, GM, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
9.5 oz (281 mL)	White	802HD	808498 <b>10158</b>	12
9.5 oz (281 mL)	Gray	804HD	808498 <b>10159</b>	12
9.5 oz (281 mL)	Black	805HD	808498 <b>10160</b>	12
9.5 oz (281 mL)	Beige	806HD	808498 <b>10161</b>	12



## Flexible Foam (Super Fast) | FLEXIBLE

**Applications:** Sound deadening, sealing and filling of: door skins to crash bar, hood panel to supports, trunk panel to supports and gas tank filler area

### Features & Benefits:

- Matches OEM sound deadening foams
- Retains its memory with no shrinkage
- Expands to 10 times its size
- Will not absorb moisture or cause corrosion

### OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, GM, Honda/Acura, Tesla, Volvo Truck

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Black	121	666233 <b>90971</b>	6
1.7 oz (50 mL)	Black	124	808498 <b>10011</b>	12



## Rigid Foam (Super Fast) | RIGID

**Applications:** Sound deadening, vibration dampening, reinforcement, sealing and filling of: fender rails, pillars, rocker panels, quarter panels and floors

### Features & Benefits:

- Matches OEM sound deadening foams commonly found in pillars, front rails, rockers and rear supports
- Expands to 10 times its size
- Provides NVH properties for a quieter ride
- Tough compressive strength for maximum energy absorption
- Super fast application, providing full foam expansion in 4 minutes

### OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, Honda/Acura

SIZE	COLOR	FUSOR #	PART #	CASE
7.1 oz (210 mL)	Beige	130	666233 <b>90977</b>	6



## Clear Double-Sided Tape

**Applications:** Excellent adhesion of exterior/interior trim including emblems, side molding and bumper cover trim

### Features & Benefits:

- Longer-sized roll for multiple jobs
- 33% stronger than competitive tapes
- UV, water and solvent resistant
- Clear, non-detectable
- Repositionable
- Increased strength when used over Fusor 602EZ

### Substrates:

Bonds metal, glass and plastic

### OEM Approvals & Recommendations:

Chrysler/Fiat, Ford, GM

SIZE	FUSOR #	PART #	CASE
1/2" x 60' x 0.045" (12.7 mm x 18.3 m x 1.14 mm)	181	808498 <b>10133</b>	6



## Surface Modifier

**Applications:** Increases adhesion for plastic bumper repair and painting plastic parts. Also improves adhesion for double-sided tapes and seam sealing tapes

### Features & Benefits:

- Open time from 10 minutes to 24 hours
- California compliant
- No need for plastic identification when used with Fusor 132/133, 142/143, 152/153 or 141/140 adhesives
- Increases adhesion when used with Fusor 180/181/182

### Substrates:

All plastic bumper covers, emblems, moldings and primed or painted metals

### OEM Recommended

SIZE	FUSOR #	PART #	CASE
9 oz (255 mL)	602EZ	808498 <b>10121</b>	6



## Reinforcing Mesh

**Applications:** Use for backing patches, bumper tabs and other reinforcements on plastic bumper covers.

### Features & Benefits:

- Use with Fusor 132/133, 142/143, 152/153, 141/140 adhesives
- Use with Fusor 602EZ
- Use with Fusor 704 roller
- Finish with Fusor 114LG/114SM adhesive

### Substrates:

Plastic bumpers, bumper tabs

SIZE	FUSOR #	PART #	CASE
4" x 12' (101.6 mm x 3.7 m)	700	808498 <b>10023</b>	12



## Fiberglass Cloth

**Applications:** Use for structural backing support, pyramid patches and other reinforcements on SMC and fiberglass panels.

### Features & Benefits:

- Helps eliminate bull's-eyes in SMC repair
- Use with Fusor 100EZ/101EZ, 120/T20 and T21 adhesives
- Use with Fusor 704 roller

### Substrates:

SMC, Fiberglass

SIZE	FUSOR #	PART #	CASE
4" x 12' (101.6 mm x 3.7 m)	702	808498 <b>10025</b>	12



## Adhesion Prep/Cleaner

**Applications:** Removes silicones and contaminants. Use prior to applying adhesives, sealers and coatings. Removes brake dust from wheels

SIZE	FUSOR #	PART #	CASE
32 oz (946.3 mL)	703	808498 <b>10026</b>	12



## Saturation Roller

**Applications:** Use with Fusor 700 and 702 for maximum adhesive saturation.

### Features & Benefits:

- 3" (76.2 mm) anodized aluminum
- Ideal for building SMC patch panel repairs
- Helps compact the surface for strong repairs

SIZE	FUSOR #	PART #	CASE
3" (76.2 mm) Roller	704	808498 <b>10027</b>	6



## Manual 50 mL Dispensing Gun

**Applications:** Use with 1.7 oz (50 mL) cartridges, which go with Fusor 400 mix tip

### Features & Benefits:

- Dispenses both 1:1 and 2:1 cartridges with no conversion necessary
- Sturdy, high-quality, compact
- Fusor 517 replacement plungers available for Fusor 300 gun

SIZE	FUSOR #	PART #	CASE
50 mL Dispensing Gun	300	808498 <b>10019</b>	1
Replacement Plunger	517	808498 <b>10120</b>	6



## High Performance Manual Dispensing Gun

**Applications:** For use with 10.1/7.6 oz (210 mL) cartridges

### Features & Benefits:

- Dispenses 1:1 and 2:1 cartridges
- Sturdy, high-quality, compact
- 26:1 thrust ratio allows for easy dispensing of high viscosity adhesive
- Simplistic design allows for easy cartridge insertion and ejection
- Composite supports provide excellent cartridge stability
- Conversion plunger is securely attached to rear of applicator

SIZE	FUSOR #	PART #	CASE
210 mL	502	666233 <b>90987</b>	1





### High Performance Pneumatic Dispensing Gun

**Applications:** For use 7.1 oz (210 mL) cartridges

**Features & Benefits:**

- Dispenses 1:1 and 2:1 cartridges
- One finger forward and reverse operation
- Composite support provide excellent cartridge stability
- For fast and easy application of long beads

SIZE	FUSOR #	PART #	CASE
300/225 mL	504	666233 <b>90988</b>	1



### Sprayable Seam Sealer Gun

**Applications:** For use with Fusor HD sealers

**Features & Benefits:**

- When used with Fusor HD sealers, matches all OEM seam sealers, textured coatings and sound deadening applications
- Material and air flow adjustment controls allow for factory match seams

SIZE	FUSOR #	PART #	CASE
	312	808498 <b>10111</b>	1



### One-Component Manual Seam Sealer Gun

**Applications:** For use with Fusor DTM sealers

**Features & Benefits:**

- B-Line 1/10th gallon cartridge gun with smooth high-powered 26:1 thrust ratio
- Excellent for all sealants - especially handy for thicker materials and in cold weather

SIZE	FUSOR #	PART #	CASE
	313	808498 <b>10146</b>	1



### Pneumatic One-Component Caulking Gun

**Applications:** For use with Fusor 800DTM, Fusor 801DTM, Fusor 803DTM and Fusor 2098

**Features & Benefits:**

- Rod driven pneumatic dispenser
- True air regulator controls flow, allowing for continuous bead application
- Includes quick change aluminum barrel, safety valve in handle, and air dump valve to instantly stop flow
- Rates for 0-100 psi (0.69 MPa) of dispensing pressure

SIZE	FUSOR #	PART #	CASE
	314	808498 <b>10178</b>	1



### Red Power 50 mL Cartridges Mixing Tips

**Applications:** For use with all 1:1 and 2:1, 1.7 oz (50 mL) cartridges, which go with Fusor 300 dispensing gun

**Features & Benefits:**

- Size: 0.21" x 4.5" x 24-element (5.3 mm x 114.3 mm x 24-element)
- Bayonet mount
- 12 per package, or economy pack of 144

SIZE	FUSOR #	PART #	CASE
Standard Pack	400	808498 <b>10076</b>	12
Economy Pack	416	808498 <b>10066</b>	144



### Red Power 210mL Cartridges Mixing Tips

**Applications:** For use with all 1:1 and 2:1, 7.6/10.1 oz (225/300 mL) cartridges (except for Fusor 120/T20, T21, T23, and 2098 which use the #420 Red Power Mixing Tip)

**Features & Benefits:**

- Size: 0.34" x 5.8" x 24-element (8.6 mm x 147.3 mm x 24-element)
- 12 per package, or economy pack of 144

SIZE	FUSOR #	PART #	CASE
Standard Pack	401T	666233 <b>90990</b>	12
Economy Pack	417T	666233 <b>90991</b>	144



### Nozzle For 800 Series Sealer

**Applications:** For use with Fusor HD and DTM sealers

**Features & Benefits:**

- Threaded replacement nozzles for caulking tubes

SIZE	FUSOR #	PART #	CASE
	412EZ	808498 <b>10130</b>	12



### Cabinet

**Applications:** Allows easy accessibility, stocking and storage of Fusor adhesives and accessories

**Features & Benefits:**

- Keeps Fusor products dust free
- Makes evaluating inventory easier
- Size: 20"w x 35"h x 12"d (0.51 m x 0.89 m x 0.3 m)
- Complete with shelf, mixer container and hanging racks for opened and unopened cartridges
- Black

SIZE	FUSOR #	PART #	CASE
20"w x 35"h x 12"d (0.51 m x 0.89 m x 0.3 m)	907	808498 <b>10105</b>	1

*Available in black*





## The Pro Behind the Pro Finishers

Family owned and operated since 1955, Hutchins Manufacturing produces the highest quality surface preparation tools and accessories available.

All Hutchins equipment is researched, developed and structured to fulfill and exceed the current and evolving needs of today's industry as they occur.

Each air tool is built of tough, unitized, aircraft-specification aluminum for strength and balance, while also designed and structured to produce immaculate surfaces



## Hutchins Air Tools

Air-powered sanding tools for the automotive industry.

DESCRIPTION	RPM	HUTCHINS #	PART #	CASE
<b>Vacuum Random-Orbit Action Sander</b>				
3/32" ProFinisher 6" Vacuum Sander	12,000	520 Hutchins	660614 <b>01390</b>	1
3/32" ProFinisher 3" Vacuum Sander	12,000	523 Hutchins	660614 <b>01464</b>	1
3/16" ProFinisher 6" Vacuum Sander	12,000	620 Hutchins	660614 <b>01404</b>	1
3/16" ProFinisher 3" Vacuum Sander	12,000	623 Hutchins	660614 <b>01465</b>	1
5/16" ProFinisher 6" Vacuum Sander	12,000	720 Hutchins	660614 <b>01469</b>	1
<b>Vacuum Orbital Sander</b>				
2-3/4 x 5-1/2" ProFinisher Orbital Sander	12,000	525 Hutchins	660614 <b>01547</b>	1
<b>Vacuum Orbital Sander Pad</b>				
2-3/4" x 8" ProFinisher Vacuum Pad	—	759 Hutchins	660614 <b>01540</b>	1








Total Inventory Management

**OPTIMIZE YOUR REPAIR MATERIALS.  
IMPROVE YOUR BOTTOM LINE.**

Exclusively offered by Refinish Solutions Group, the TIM information technology application enables collision repair shops to optimize management of repair materials, helping the shop to lower costs, streamline repair processes and improve profitability.

TIM utilizes technician barcode scanning of repair materials and simple-to-use software. The intuitive design of the TIM platform empowers shop managers to minimize inventory, ensure that the right repair materials are always available, identify recoverable materials used by RO# and track material usage trends.

Visit for more information: <https://www.refinishsolutionsgroup.com/tim>



\* Always wear protective gear.  
Photos in this catalog are for illustrative purposes only.



# PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
05539500594	12	05539518106	5	05539520288	5	05539521302	7	05539553454	10
05539500606	12	05539518107	5	05539520289	5	05539521303	7	05539553455	10
05539500607	12	05539518108	5	05539520294	5	05539521304	7	05539553456	10
05539500608	12	05539518109	5	05539520295	5	05539521305	7	05539553457	10
05539503861	16	05539518110	5	05539520296	5	05539521315	7	05539553458	10
05539503863	16	05539518111	5	05539520305	5	05539521316	7	05539553459	10
05539504270	16	05539518112	5	05539520306	5	05539521318	7	05539553460	10
05539506728	21	05539518113	5	05539520307	5	05539521319	7	05539553461	10
05539509760	18	05539518114	5	05539520310	5	05539521320	7	05539553462	10
05539509767	18	05539518162	5	05539520311	5	05539521336	7	05539553528	9
05539509768	18	05539518163	5	05539520312	5	05539521337	7	05539553580	8
05539510545	8	05539518164	5	05539520314	5	05539521338	7	05539553581	8
05539510546	8	05539518165	5	05539520315	5	05539521342	7	05539554479	17
05539510549	8	05539518166	5	05539520318	5	05539521343	7	05539554480	17
05539510550	8	05539518167	5	05539520319	5	05539521344	7	05539554481	17
05539510552	8	05539518168	5	05539520320	5	05539521348	7	05539554647	17
05539510553	8	05539518169	5	05539520321	5	05539521349	7	05539554648	17
05539510554	8	05539518170	5	05539520322	5	05539521350	7	05539554666	17
05539510555	8	05539518171	5	05539520325	5	05539522538	15	05539554668	17
05539510557	8	05539518172	5	05539520326	5	05539530893	13	05539554669	17
05539510558	8	05539518173	5	05539520328	5	05539533867	25	05539561106	5
05539510560	8	05539520055	20	05539520329	5	05539542089	12	05539561108	5
05539510561	8	05539520076	20	05539520331	5	05539550000	4	05539561110	5
05539510562	8	05539520125	8	05539520332	6	05539550001	4	05539563769	21
05539510563	8	05539520126	8	05539520333	6	05539550002	4	05539563770	21
05539510565	8	05539520129	8	05539520334	6	05539550003	4	05539563779	5
05539510566	8	05539520130	8	05539520335	6	05539550004	4	05539563780	5
05539510567	8	05539520131	8	05539520336	6	05539550005	4	05539563781	5
05539510711	20	05539520132	8	05539520337	6	05539550006	4	05539563782	5
05539510712	20	05539520134	8	05539520338	6	05539550007	4	05539563784	5
05539510713	20	05539520242	9	05539520339	6	05539550008	4	05539563785	6
05539510720	20	05539520252	5	05539520340	6	05539550009	4	05539563869	11
05539510721	20	05539520253	5	05539520459	6	05539550010	4	05539563870	11
05539510722	20	05539520254	5	05539520461	6	05539551776	15	05539563871	11
05539510890	13	05539520255	5	05539520463	6	05539553332	19	05539563872	11
05539510891	13	05539520256	5	05539520470	6	05539553333	19	05539563877	11
05539510892	13	05539520257	5	05539520471	6	05539553334	4	05539563878	11
05539510900	9	05539520258	5	05539520472	6	05539553335	4	05539563879	11
05539510902	9	05539520259	5	05539520473	6	05539553337	4	05539563880	11
05539510903	9	05539520260	5	05539520474	6	05539553338	4	05539563881	11
05539512013	27	05539520262	5	05539520475	6	05539553339	4	05539563882	11
05539512014	27	05539520263	5	05539520484	13	05539553340	4	05539563884	11
05539512506	19	05539520264	5	05539520485	13	05539553341	4	05539563885	11
05539512507	19	05539520266	5	05539520520	29	05539553346	24	05539563889	19
05539512508	19	05539520267	5	05539520521	29	05539553381	12	05539563890	19
05539512509	19	05539520269	5	05539520523	25	05539553382	12	05539563891	19
05539512510	19	05539520270	5	05539520527	6	05539553383	12	05539563893	19
05539512512	19	05539520271	5	05539520528	6	05539553389	13	05539563895	21
05539514148	6	05539520272	5	05539520529	6	05539553390	13	05539563897	26
05539515297	5	05539520274	5	05539520530	6	05539553409	4	05539563898	26
05539515298	5	05539520275	5	05539520531	6	05539553410	4	05539563899	26
05539515300	5	05539520276	5	05539520532	6	05539553411	4	05539563900	26
05539515311	5	05539520277	5	05539520533	6	05539553412	4	05539567378	24
05539515312	5	05539520278	5	05539520534	6	05539553413	4	05539567379	24
05539515315	5	05539520282	5	05539520535	6	05539553414	4	05539567381	24
05539515317	5	05539520283	5	05539520536	6	05539553450	10	05539568509	22
05539518101	5	05539520284	5	05539520537	6	05539553451	10	05539568510	22
05539518104	5	05539520285	5	05539520538	6	05539553452	10	05539568511	22
05539518105	5	05539520287	5	05539521301	7	05539553453	10	05539568512	22

# PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
05539569471	18	05539599495	4	08714300586	43	66623390987	57	77696090132	17
05539569472	18	05539599496	4	08714300587	43	66623390988	58	77696090134	17
05539569473	18	05539599498	4	08714300690	43	66623390996	52, 54	77696090136	17
05539569926	5	05539599500	4	63642500904	29	66623391000	35	80849810001	48, 50
05539569927	5	05539599501	4	63642500906	29	66623391003	35	80849810006	46
05539570019	5	05539599502	4	63642505457	12, 29	66623391007	35	80849810007	46
05539570020	5	05539599504	4	63642506160	29	66623391008	33	80849810008	46-47
05539570021	5	05539599505	4	63642542089	29	66623391009	36	80849810011	52, 55
05539570022	5	05539599507	4	63642543712	29	66623391010	35	80849810013	52-53
05539570121	14	05539599508	4	66061401390	61	66623391011	34	80849810015	48, 50
05539570122	14	05539599509	4	66061401404	61	66623391012	34	80849810016	48, 50
05539570123	14	05539599511	4	66061401464	61	66623391013	33	80849810019	57
05539570124	14	05539599512	4	66061401465	61	66623391014	33	80849810023	56
05539570125	14	05539599513	4	66061401469	61	66623391015	33	80849810025	56
05539570401	26	05539599514	4	66061401540	61	66623391016	33	80849810026	57
05539570402	26	05539599515	4	66061401547	61	66623391017	33	80849810027	57
05539570403	26	05539599516	4	66252838447	16	66623391018	33	80849810030	48-49
05539570404	26	05539599517	4	66252838448	16	66623391019	33	80849810037	52
05539570405	26	05539599518	4	66261055103	19	66623391022	34	80849810038	48
05539570406	26	05539599520	4	66261055105	15, 19	66623391023	34	80849810066	59
05539570523	9	05539599521	4	66261121524	13	66623391024	36	80849810067	59
05539570524	9	05539599522	4	66261182685	45	66623391025	33	80849810073	59
05539570525	9	05539599523	4	66261182686	45	66623391026	33	80849810075	52
05539570526	9	05539599524	4	66261182688	45	66623391027	33	80849810076	59
05539570527	9	05539599525	4	66623329280	15	66623391028	33	80849810105	60
05539570528	9	05539599526	4	66623329282	15	66623391029	34	80849810107	48-49
05539570530	21	05539599564	4	66623390600	40	66623391030	34	80849810111	58
05539570582	23	05539599565	4	66623390601	40	66623391100	37	80849810120	57
05539570583	23	05539599566	4	66623390602	41	66623391101	37	80849810121	56
05539570584	23	05539599567	4	66623390603	42	66623391102	38	80849810130	59
05539570585	23	05539599568	4	66623390604	42	66623391103	37	80849810133	56
05539599305	28	05539599570	4	66623390605	41	66623391104	37	80849810145	59
05539599308	28	05539599590	4	66623390606	42	66623391105	38	80849810146	58
05539599311	28	05539599592	4	66623390607	41	66623391106	38	80849810158	52, 55
05539599315	28	07792200268	45	66623390608	42	66623391306	39	80849810159	52, 55
05539599317	28	07792274977	45	66623390609	42	66623391307	39	80849810160	52, 55
05539599319	28	07792288400	44	66623390960	48, 50	66623391308	39	80849810161	52, 55
05539599321	28	07792288401	44	66623390961	53	66623391309	39	80849810166	48-49
05539599323	13, 28	07792288402	44	66623390962	48, 50	66623391310	39	80849810169	48
05539599338	29	07792288403	44	66623390963	48-49	66623391311	39	80849810170	52, 54
05539599383	18	08714300214	21	66623390964	48, 50	66623391312	39	80849810171	52, 54
05539599385	18	08714300216	21	66623390965	51	66623391313	39	80849810178	58
05539599386	18	08714300217	21	66623390966	48, 51	66623391314	39	80849810180	52-53
05539599387	18	08714300218	21	66623390967	48, 50	66623391315	39		
05539599389	18	08714300306	43	66623390968	48-49	66623391316	39		
05539599390	18	08714300307	43	66623390969	46	66623391317	39		
05539599423	4	08714300308	43	66623390970	46-47	66623391318	39		
05539599424	23	08714300309	43	66623390971	52, 55	66623391319	39		
05539599425	13	08714300310	43	66623390972	52, 54	66623391320	39		
05539599426	13	08714300311	43	66623390973	53	66623391321	39		
05539599427	5	08714300312	43	66623390974	52	66623391380	32		
05539599428	5	08714300313	43	66623390975	48, 51	66623391381	32		
05539599429	5	08714300314	43	66623390976	48-49	66623391382	32		
05539599430	5	08714300315	43	66623390977	52, 55	66623391383	32		
05539599438	14	08714300316	43	66623390978	46	66623391384	32		
05539599439	14	08714300317	43	66623390979	52-53	66623391385	32		
05539599440	14	08714300500	44	66623390980	48-49	66623391386	32		
05539599441	14	08714300501	44	66623390981	48	77696039321	15		
05539599442	14	08714300502	44	66623390982	46-47	77696090120	17		
05539599443	14	08714300577	43	66623390983	46-47	77696090124	17		
05539599489	4	08714300579	43	66623390984	52-53	77696090126	17		
05539599491	4	08714300580	43	66623390985	52, 54	77696090128	17		
05539599492	4	08714300581	43	66623390986	52-53	77696090130	17		







# DRIVING THE COLLISION REPAIR INDUSTRY FORWARD

Carborundum | Saint-Gobain is proud to be a Sustaining Partner of I-CAR. As a Sustaining Partner, we support I-CAR's vision and mission of delivering the latest repair knowledge and training to every collision repair technician. We believe in doing the right thing for the industry by helping deliver complete, safe and quality repairs to the ultimate benefit of our families, friends and neighbors.

## DOING THE RIGHT THING FOR THE INDUSTRY AND THE CONSUMER

### REDUCING TRAINING COSTS AND INCREASING TRAINING OPPORTUNITIES

As a Sustaining Partner, we help lower training costs and provide training courses encouraging shops to continue, or even increase, training to stay current with today's complex vehicles.

### REDUCING SCHOOL FEES

As a Sustaining Partner, we provide financial support to allow more vocational schools to run programs that develop better trained entry level technicians.

### PROVIDING SAFE REPAIRS

As a Sustaining Partner, we provide resources to help I-CAR develop and deliver the training and services needed for safe repairs.

See more here: [www.I-CAR.com/SustainingPartners/Saint-Gobain](http://www.I-CAR.com/SustainingPartners/Saint-Gobain)



# POWERED BY **PARTNERSHIP**



## **YOUR PRODUCTIVITY PARTNER**

A select group of industry leaders has come together to leverage their core expertise into one powerful network to assist you in improving your refinishing process and increasing your profitability.



## **QUALITY ABRASIVES**

New and different solutions for body shops that demand increased productivity, consistent quality and enhanced cost control.



## **ULTIMATE PAINT PROTECTION AND WINDOW FILMS**

Window and body films that act as body armor helping to guard the vehicle from damaging elements.



## **SUPER FAST AND EASY**

Premium compounds and finishes to get the final shine because every detail counts.



## **SUPERIOR MASKING TAPE**

Innovative and high quality automotive surface protection and masking tape products for the unique needs of the collision repair market.



## **FIRST-CLASS SPRAY GUNS AND PAINT CUPS**

Pioneering product portfolio of paint guns and cups that deliver glass-like finishes to the collision repair market.



## **PARAMOUNT REPAIR ADHESIVES**

Known for cutting-edge OEM approved products and expertise in providing collision repair adhesive solutions.



## **THE GOLD STANDARD**

Proudly made in the USA, they set the tone for surface preparation tools.



Visit Academy by RSG on YouTube, which is designed to educate collision repair technicians on RSG products and procedures to optimize shop processes for a total refinishing solution. With an ever expanding list of videos there is something for everyone, whether you are new to the industry or a seasoned technician.

**YouTube** <https://bit.ly/AcademyByRSG>

## **TRADEMARKS**

Carborundum, "The Definition of Different", Carbo, CleanAir, CleanAir Plus, CleanNet, EZ Block, EZ Repair, EZ Sheet, EZ Touch, EZ Wrap, Fibratex, Fire, Flex-Loc, Medalist, Mirror Finish, Premier Red, Refinish Solutions Group, REVvive by RSG, Thin-Flex, and White Lightning are trademarks of Saint-Gobain Abrasives.

Farécla and Solar Gard are trademarks of Saint-Gobain.

The American logo, Orange Mask, and Anchor are registered trademarks and TrimFast is a trademark of Intertape Polymer Group®, Inc.

DeVilbiss is a registered trademark DeVilbiss Automotive Refinishing.

Fusor is a registered trademark of Parker LORD Corporation.

Hutchins and ProFinishers are trademarks of Hutchins Mfg Company.

Vehicle images provided courtesy of Ford® Motor Company.

All trademarks and logos are property of their respective holders and used by consent.



# AUTOBODY REFINISHING PRODUCTS FOR THE AUTOMOTIVE AFTERMARKET



## *With Nothing To Lose And Everything To Gain... Take Carborundum for a Cost-Savings Test Drive today!*

Carborundum is 100% committed to bringing the **best performing products** to body shops at a **fair price**.

You can test drive Carborundum products in your shop when it's convenient for you. Simply let your Carborundum salesperson know when you'd like to test Carborundum in your shop. Our test drive program allows the technicians to do their regular work, without interruption, using Carborundum products at no cost in "real world" conditions. You're the final judge of performance. At the end of the day, the Carborundum salesperson will review the results, provide you with potential cost savings and convert the shop to Carborundum products if you like what you see.

There has never been a better time to look at ways to **increase productivity** and to **reduce costs** at absolutely no risk to you. There has never been a better time to **take Carborundum for a Test Drive!**

the definition of **DIFFERENT®**

[www.facebook.com/carboauto](https://www.facebook.com/carboauto) | [www.youtube.com/carboauto](https://www.youtube.com/carboauto)

### CUSTOMER SERVICE:

USA Toll Free: 1 (877) 447-5359

Canada Toll Free: 1 (800) 263-6565

**FORM #CA5000 REV. 01/22**

© Saint-Gobain January 2022. The Carborundum logo is a registered trademark; "The Definition of Different" is a trademark of Saint-Gobain Abrasives.



[www.carbo.com](http://www.carbo.com)

